



## *"Monster Timber Auction"*

**Auctioneer : Mr Roger Low**

### **OHINEWAI**

On Site : Max Birt Sawmills  
Lumsden Road, Ohinewai

(Take Ohinewai off ramp on SH1 5 kilometres north of Huntly, Lumsden Road runs parallel with SH1 on Eastern side of railway line)

**10.00am start: Saturday 13th October 2018**

**Viewing from: 9.00am Monday 1st October 2018**

**Registration from: 8.00am Saturday 13th October 2018**

**This Auction is GST EXCLUSIVE**

(GST of 15% will be added to bid price at time of settlement)

#### **Terms of Payment:**

Cash, Eftpos, Cheque or all major credit cards.

Full payment to be made by 5.00pm on day of sale (13th October).

#### **Conditions of sale:**

All product **MUST** be removed from Max Birt Sawmills yard by Friday 16th November, otherwise goods will be sold to defray expenses. (A freighter will be on site on the day for your freight requirements).

No loading of any product will be permitted before the auction has been completed.

No goods will be released without an MBS inv paid in full being presented at time of load out.

Freight by own arrangement.

Registration constitutes acceptance of conditions of sale.

#### **Disclaimer:**

MBS has made every effort to ensure correct tallies and product description has been made available prior to sale, however it is the purchaser's responsibility to ensure they are satisfied with items being purchased at the fall of the hammer. All persons must make themselves aware of all hazards on site on the day!

#### **NZ's largest manufacturer of**

**H3 & H4 Sawn & Gauged Posts, Rails, Palings & Decking**

#### **and suppliers of**

**Pickets, Framing, Roundwood, Poles & Piles.**

155 S/H 2 Pokeno , Waikato. Phone (09) 294 7800 Fax (09) 294 7011  
Shannon 0272 903 342 or Steve 0274 783 839



# Ohinewai Auction October 2018

## Single Pkt Lots - Sold Per Lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
1	706999	150 x 50 MG	H4	RDL	Walkway / In Ground	42.0	0.315	
2	710724	100 x 50 MG SL	H3	4.8		144.0	0.720	
3	706606	250 x 50 RS	H4	RDL	Retaining	93.6	1.170	
4	706602	100 x 100 RS	H4	RDL	Posts / Beams	115.2	1.152	
5	706605	50 x 50 MG SL	H3	5.4		756.0	1.890	
6	691905	100 x 40 SMOOTH SL	H3	6.0	Smooth Decking	168.0	0.672	
7	731137	100 x 75 MG SL	H5	5.4		135.0	1.013	
8	715830	250 x 50 MG	H3	RDL	SG10	106.2	1.328	
9	706950	200 x 50 RGH	H4	RDL		133.2	1.332	
10	730713	200 x 50 RGH SL	H4	6.0	Retaining / Joists	138.0	1.380	
11	730714	100 x 50 MG SL	H4	6.0		468.0	2.340	
12	706951	100 x 50 MG	H4	RDL		66.0	0.330	
13	680779	150 x 50 MG SL	H3	4.8	SG8 Framing	148.8	1.116	
14	706954	100 x 25 RS SL	H3	5.4		313.2	0.783	
15	680315	150 x 50 RS SL	H3	5.4	SG8	151.2	1.134	
16	706955	150 x 50 MG	H4	RDL		245.1	1.838	
17	706953	250 x 25 RS SL	H3	6.0	Cladding	186.0	1.163	
18	706972	200 x 50 MG SL	H3	4.8		86.4	0.864	
19	706973	75 x 50 MG	H3	RDL	SG8	520.2	1.951	
20	706974	150 x 50 MG	H4	RDL	Retaining / Joists	270.9	2.032	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
21	706975	250 x 50 MG	H4	RDL		121.0	1.513	
22	710575	100 x 75 MG SL	H5	5.4	SG8	21.6	0.162	
23	710576	200 x 75 RS SL	H4	6.0		24.0	0.360	
24	R680669	125 x 50 MG	H4	RDL	Retainer/Rail/Joist	52.8	0.330	
25	710577	200 x 50 MG SL	H3	5.4		64.8	0.648	
26	710578	50 x 50 MG	H4	RDL	Stakes / Balustrades	335.4	0.839	
27	731119	100 x 75 MG SL	H5	4.8		144.0	1.080	
28	710579	150 x 30 RS SL	H3	6.0	Rails	294.0	1.323	
29	706956	150 x 50 MG SL	H4	4.8	Retaining / Joists / Perlins	86.4	0.648	
30	706957	100 x 100 RS SL	H4	4.2		96.6	0.966	
31	680792	200 x 25 RS SL	H3	4.8	Vertical Cladding	297.6	1.488	
32	R723457	250 x 50 MG	H4	RDL		164.4	2.055	
33	680923	150 x 40 GTD	H3	RDL	Decking	92.4	0.554	
34	700011	50 x 50 MG SL	H3	4.2	No1 +	281.4	0.704	
35	722432	100 x 50 MG SL	H4	4.8		192.0	0.960	
36	724712	200 x 25 D4S SL	H3	4.8	Cladding/Fascia	129.6	0.648	
37	722891	100 x 50 MG SL	H4	4.8		230.4	1.152	
38	706969	150 x 50 RGH	H4	RDL	Retainer/Joists	68.6	0.515	
39	706968	200 x 50 MG SL	H3	5.4		70.2	0.702	
40	715202	100 x 75 MG	H4	RDL		61.2	0.459	
41	706963	150 x 50 MG SL	H4	5.4	Boardwalk	54.0	0.405	
42	706964	150 x 75 RS SL	H4	6.0	SG8	60.0	0.675	
43	665185	100 x 50 MG	H3	RDL	SG12	255.0	1.275	
44	706965	200 x 50 TG&V SL	H4	6.0	Retaining/ Flooring	120.0	1.200	
45	706958	200 x 50 MG SL	H3	4.8		48.0	0.480	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

<b>LOT</b>	<b>Pkt No</b>	<b>Size / Description</b>	<b>Treat</b>	<b>Length</b>	<b>End Use Ideas</b>	<b>LM Per Lot</b>	<b>GrM3 Per Lot</b>	<b>Sell</b>
46	706959	200 x 50 RGH SL	H4	4.8	Retainer/Joists	81.6	0.816	
47	731560	150 x 25 D4S SL	H3	5.4		189.0	0.709	
48	702641	100 x 75 MG SL	H4	5.4		124.2	0.932	
49	706960	75 x 50 RS	H3	RDL	SG8	312.0	1.170	
50	706961	75 x 50 MG	H3	RDL	SG8 Framing	331.5	1.243	

## Multi Pkt Lots - Sold Per Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
51	6 Pkts	100 x 40 SMOOTH SL	H3	4.8	Decking	384.0	1.536	
52	6 Pkts	200 x 50 MG SL	H3	4.8	SG8	120.0	1.200	
53	6 Pkts	150 x 25 D4S SL	H3	4.8		336.0	1.260	
54	6 Pkts	200 x 50 TG&V SL	H4	6.0	Retaining	180.0	1.800	
55	6 Pkts	100 x 75 MG SL	H5	6.0		180.0	1.350	
56	6 Pkts	200 x 50 RS SL	H4	6.0	Yard Rails/Retainer	150.0	1.500	
57	4 Pkts	150 x 50 RS SL	H4	4.8		168.0	1.260	
58	6 Pkts	150 x 50 MG SL	H3	4.8		168.0	1.260	
59	6 Pkts	100 x 25 GTD SL	H3	4.8	Premium Decking	480.0	1.200	
60	6 Pkts	100 x 40 GTD SL	H3	5.4	Decking	432.0	1.728	
61	5 Pkts	150 x 50 TG&V SL	H4	5.4	Retainer / Heavy Floor	226.8	1.701	
62	5 Pkts	200 x 50 RS SL	H4	5.4		135.0	1.350	
63	5 Pkts	150 x 50 MG SL	H3	4.8	SG8 Framing	168.0	1.260	
64	4 Pkts	100 x 50 RS SL	H3	4.8		240.0	1.200	
65	6 Pkts	300 x 50 MG SL	H3	4.8		72.0	1.080	
66	4 Pkts	100 x 25 D4S SL	H3	3.6	Fence / Base Boards	360.0	0.900	
67	6 Pkts	150 x 40 SMOOTH SL	H3	3.6		201.6	1.210	
68	6 Pkts	200 x 50 TG&V SL	H4	3.6		108.0	1.080	
69	6 Pkts	100 x 40 SMOOTH CTL	H3	3.0	Premium Decking	240.0	0.960	
70	6 Pkts	150 x 25 D4S SL	H3	3.6		252.0	0.945	
71	6 Pkts	200 x 50 MG SL	H3	3.6	Rail/Joist	90.0	0.900	
72	4 Pkts	100 x 50 MG SL	H3	4.8	Framing	240.0	1.200	
73	4 Pkts	75 x 50 RS SL	H3	4.8	Fence Rails	312.0	1.170	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
74	6 Pkts	300 x 50 RS SL	H3	4.8		72.0	1.080	
75	2 Pkts	50 x 25 RS SL	H3	6.0	Battening	1200.0	1.500	
76	2 Pkts	75 x 25 D4S SL	H3	6.0		780.0	1.463	
77	5 Pkts	100 x 100 MG SL	H5	6.0		180.0	1.800	
78	6 Pkts	150 x 40 RS SL	H4	4.2	Retaining / Fence Rails	176.4	1.058	
79	6 Pkts	150 x 50 TG&V SL	H4	4.2	Retaining	176.4	1.323	
80	6 Pkts	100 x 40 GTD SL	H3	4.2	Premium Decking	336.0	1.344	
81	2 Pkts	300 x 25 D4S SL	H3	4.8		144.0	1.080	
82	6 Pkts	200 x 25 RS SL	H3	4.8	Fencing / Cladding	240.0	1.200	
83	6 Pkts	200 x 50 MG SL	H3	4.8		120.0	1.200	
84	4 Pkts	200 x 25 D4S SL	H3	5.4	Shelving/Cladding/Fascia	270.0	1.350	
85	6 Pkts	150 x 25 RS SL	H3	5.4		378.0	1.418	
86	6 Pkts	100 x 40 GTD SL	H3	5.4	Decking	432.0	1.728	
87	2 Pkts	150 x 75 RS SL	H5	6.0	SG8	126.0	1.418	
88	3 Pkts	150 x 25 D4S SL	H3	6.0		420.0	1.575	
89	6 Pkts	75 x 50 MG SL	H3	6.0	Rails / Framing	390.0	1.463	
90	6 Pkts	150 x 50 RS SL	H4	5.4		189.0	1.418	
91	6 Pkts	200 x 50 MG SL	H3	5.4	SG8	135.0	1.350	
92	6 Pkts	100 x 25 RS SL	H3	5.4		540.0	1.350	
93	3 Pkts	250 x 50 MG SL	H3	3.6	Joists	72.0	0.900	
94	3 Pkts	150 x 50 MG SL	H3	3.6		126.0	0.945	
95	6 Pkts	100 x 40 SMOOTH SL	H3	3.6	Premium Decking	288.0	1.152	
96	4 Pkts	300 x 100 RS SL	H4	6.0		54.0	1.620	
97	3 Pkts	300 x 25 D4S SL	H3	6.0	Weatherboard / Cladding	180.0	1.350	
98	5 Pkts	100 x 50 MG SL	H3	6.0		300.0	1.500	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
99	6 Pkts	150 x 40 RS SL	H3	6.0		252.0	1.512	
100	4 Pkts	100 x 25 GTD SL	H3	3.6	Premium Decking	360.0	0.900	
101	3 Pkts	100 x 50 RS SL	H3	3.6		180.0	0.900	
102	4 Pkts	75 x 50 MG SL	H3	3.6	SG8 Framing	234.0	0.878	
103	2 Pkts	250 x 50 RS SL	H3	3.6	SG8	72.0	0.900	
104	5 Pkts	150 x 40 GTD SL	H3	4.2	Premium Decking	235.2	1.411	
105	6 Pkts	100 x 25 D4S SL	H3	4.2		420.0	1.050	
106	4 Pkts	50 x 50 MG SL	H3	4.2	No1 + Framing	420.0	1.050	
107	2 Pkts	100 x 75 MG SL	H5	4.2		126.0	0.945	
108	6 Pkts	250 x 50 RS SL	H3	5.4	Stockyard / Joist / Rail	108.0	1.350	
109	6 Pkts	150 x 50 RS SL	H3	5.4		189.0	1.418	
110	6 Pkts	150 x 50 MG SL	H3	5.4	SG8	189.0	1.418	
111	6 Pkts	200 x 50 MG SL	H3	5.4		162.0	1.620	
112	4 Pkts	100 x 40 SMOOTH	H3	2.4	Premium Decking	192.0	0.768	
113	4 Pkts	100 x 50 MG CTL	H3	2.4	SG8	120.0	0.600	
114	4 Pkts	75 x 50 RS SL	H3	6.0		390.0	1.463	
115	4 Pkts	300 x 50 RS SL	H3	6.0		90.0	1.350	
116	6 Pkts	150 x 50 TG&V SL	H4	6.0	Retaining	252.0	1.890	
117	4 Pkts	200 x 75 RS SL	H4	4.8		72.0	1.080	
118	5 Pkts	200 x 40 MG SL	H3	4.8		144.0	1.152	
119	6 Pkts	100 x 25 GTD SL	H3	4.8	Decking	480.0	1.200	
120	6 Pkts	150 x 40 RS SL	H4	4.8		201.6	1.210	
121	5 Pkts	250 x 50 MG SL	H3	4.8	Stock Yard / Rafters	96.0	1.200	
122	5 Pkts	200 x 50 MG SL	H4	4.8		144.0	1.440	
123	6 Pkts	200 x 50 RS SL	H4	4.8	Stockyard / In Ground	120.0	1.200	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
124	6 Pkts	100 x 50 MG SL	H3	4.8	Framing	240.0	1.200	
125	6 Pkts	150 x 40 SMOOTH SL	H3	3.6	Premium Decking	201.6	1.210	
126	6 Pkts	100 x 40 GTD SL	H3	3.6		288.0	1.152	
127	6 Pkts	100 x 50 MG	H3	3.0	SG8 Framing	150.0	0.750	
128	2 Pkts	150 x 40 RS SL	H4	3.6		151.2	0.907	
129	6 Pkts	100 x 50 RS SL	H3	5.4		270.0	1.350	
130	6 Pkts	150 x 50 MG SL	H3	6.0	Rails / Joists	210.0	1.575	
131	6 Pkts	200 x 25 D4S SL	H3	6.0		300.0	1.500	
132	6 Pkts	100 x 40 GTD SL	H3	6.0		480.0	1.920	
133	4 Pkts	150 x 50 MG SL	H3	4.2	SG8	147.0	1.103	
134	5 Pkts	100 x 25 RS SL	H3	4.2		420.0	1.050	
135	2 Pkts	150 x 25 D4S SL	H3	4.2		294.0	1.103	
136	6 Pkts	100 x 25 GTD SL	H3	4.2	Premium Decking	420.0	1.050	
137	4 Pkts	200 x 50 MG SL	H3	6.0	SG8	150.0	1.500	
138	6 Pkts	100 x 40 GTD SL	H3	6.0		480.0	1.920	
139	6 Pkts	200 x 50 TG&V SL	H4	5.4	Retaining	162.0	1.620	
140	6 Pkts	150 x 50 RS SL	H4	6.0		210.0	1.575	
141	6 Pkts	250 x 50 MG SL	H3	4.2		84.0	1.050	
142	6 Pkts	200 x 50 RS SL	H4	4.2	Stockyard/Retainer	105.0	1.050	
143	6 Pkts	75 x 25 D4S SL	H3	4.2		546.0	1.024	
144	6 Pkts	100 x 40 GTD SL	H3	4.2		336.0	1.344	
145	5 Pkts	150 x 50 TG&V SL	H4	4.8	Retaining / In Ground	201.6	1.512	
146	6 Pkts	100 x 25 D4S SL	H3	5.4		540.0	1.350	
147	6 Pkts	200 x 25 RS SL	H3	5.4	Cladding / Fencing	270.0	1.350	
148	6 Pkts	250 x 25 D4S SL	H3	5.4		216.0	1.350	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)



LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
149	6 Pkts	200 x 25 D4S SL	H3	4.2	Shelving/Cladding	210.0	1.050	
150	6 Pkts	200 x 50 MG SL	H3	4.2		105.0	1.050	
151	6 Pkts	150 x 50 RS SL	H3	4.2		147.0	1.103	
152	6 Pkts	150 x 50 MG SL	H3	4.2	Joists / Rails	147.0	1.103	
153	2 Pkts	100 x 75 MG SL	H5	4.8		144.0	1.080	
154	5 Pkts	100 x 40 GTD SL	H3	3.6	Premium Decking	288.0	1.152	
155	6 Pkts	150 x 40 RS SL	H3	4.8		201.6	1.210	
156	6 Pkts	100 x 25 D4S SL	H3	4.8		480.0	1.200	
157	5 Pkts	100 x 40 SMOOTH CTL	H3	3.3	Premium Decking	264.0	1.056	
158	6 Pkts	300 x 50 MG SL	H3	4.2		63.0	0.945	
159	6 Pkts	200 x 50 TG&V SL	H4	4.8	Retaining	144.0	1.440	
160	6 Pkts	200 x 25 D4S SL	H3	4.8	Shelving / Cladding	240.0	1.200	

## Single Pkt Lots - Sold per lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
161	702645	100 x 75 MG SL	H4	4.8		72.0	0.540	
162	698932	200 x 100 RS	H4	RDL		60.0	1.200	
163	680838	150 x 50 MG SL	H3	4.8	Joists / Rails	115.2	0.864	
164	706986	150 x 50 TG&V SL	H4	4.2		176.4	1.323	
165	667875	150 x 50 GTD	H3	RDL	GTD - Deck/Walkway	139.8	1.048	
166	710587	250 x 50 RS SL	H4	6.0		18.0	0.225	
167	710585	50 x 50 RS	H4	RDL	Stakes / In Ground	385.4	0.964	
168	710586	100 x 100 RS	H4	RDL		70.0	0.700	
169	680839	200 x 50 MG SL	H3	4.8		148.8	1.488	
170	680800	75 x 50 RS	H3	RDL	SG8	319.2	1.197	
171	667957	75 x 50 MG	H3	RDL	SG8 Framing	63.0	0.236	
172	731564	150 x 25 D4S SL	H3	4.2		71.4	0.268	
173	706970	150 x 50 TG&V SL	H4	4.2	Retaining / In Ground	159.6	1.197	
174	710582	75 x 25 Weather Groove	H3	4.2		785.4	1.473	
175	710584	300 x 50 RS SL	H4	4.2		58.8	0.882	
176	710583	200 x 50 RS SL	H3	4.2	SG8	50.4	0.504	
177	710581	200 x 25 D4S SL	H3	4.8		33.6	0.168	
178	710580	250 x 50 RS SL	H3	4.8	SG8	9.6	0.120	
179	596690	50 x 50 MG SL	H4	4.8		192.0	0.480	
180	724703	100 x 25 D4S	H3	RDL	Smooth Decking	409.4	1.024	
181	701299	200 x 50 MG SL	H3	6.0		150.0	1.500	
182	706966	125 x 50 RS	H3	5.4	Rails/Joists	237.6	1.485	
183	730717	150 x 50 RS SL	H4	6.0		228.0	1.710	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
184	706251	200 x 50 MG SL	H4	4.8		24.0	0.240	
185	706967	100 x 40 GTD SL	H3	4.8	Premium Decking	38.4	0.154	
186	706997	150 x 40 GTD	H3	RDL		60.8	0.365	
187	706998	200 x 50 MG	H4	RDL	Stockyard / Retainer	51.0	0.510	
188	731135	100 x 75 MG SL	H5	4.8		124.8	0.936	
189	722508	125 x 40 MG	H4	RDL	Retainer/Rails	73.2	0.366	
190	718425	100 x 50 MG	H3	RDL		471.0	2.355	
191	710589	50 x 50 MG	H4	RDL	Balustrades	65.8	0.165	
192	705192	150 x 50 MG SL	H4	6.0		72.0	0.540	
193	706976	75 x 25 RS SL	H3	6.0		378.0	0.709	
194	680675	200 x 50 MG	H4	RDL	Retaining / Joists	102.3	1.023	
195	706978	200 x 25 RWB SL	H3	6.0		348.0	1.740	
196	702483	100 x 50 MG	H3	RDL		280.8	1.404	
197	706979	100 x 75 MG	H5	RDL	Post / Bearers	68.1	0.511	
198	731598	75 x 25 D4S SL	H3	4.8		624.0	1.170	
199	706980	50 x 19 RS	H3	4.8	Battening	1920.0	1.824	
200	730252	100 x 25 RS SL	H4	4.8		446.4	1.116	
201	706991	200 x 75 MG	H4	RDL	Retaining / Joists / Bridging	22.3	0.335	
202	710606	200 x 25 D4S	H3	RDL		207.5	1.038	
203	730732	150 x 50 MG	H4	RDL		153.0	1.148	
204	718360	250 x 50 MG	H3	RDL	Steps / Walkway	99.6	1.245	
205	730715	200 x 50 MG SL	H4	6.0		90.0	0.900	
206	730716	100 x 50 MG SL	H4	6.0	Garden Edging	360.0	1.800	
207	698983	100 x 75 MG	H4	RDL		100.0	0.750	
208	710590	250 x 50 MG	H4	RDL	Stock Yards / Retaining	31.8	0.398	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
209	708530	150 x 50 MG	H4	RDL		92.3	0.693	
210	726925	200 x 50 MG SL	H4	6.0	StockYard/Retainer/Joist	24.0	0.240	
211	710591	300 x 40 MG	H3	RDL		154.7	1.856	
212	680316	300 x 25 D4S SL	H3	5.4	Shelving / Cladding	226.8	1.701	
213	710592	100 x 50 RS SL	H3	4.8		19.2	0.096	
214	706983	150 x 40 A4 SL	H4	5.4		64.8	0.389	
215	706984	150 x 40 SHIPLAP SL	H3	6.0	Truck Decking	66.0	0.396	
216	726924	100 x 50 MG SL	H4	6.0		228.0	1.140	
217	706985	150 x 50 MG SL	H3	6.0	Joist / Rails	84.0	0.630	
218	701159	100 x 50 MG	H4	RDL		165.0	0.825	
219	680845	75 x 25 RS SL	H3	6.0	Baseboards / Fencing	1002.0	1.879	
220	724704	75 x 25 D4S SL	H3	4.2		239.4	0.449	
221	706992	150 x 40 SHIPLAP	H3	RDL	Truck Decking	90.3	0.542	
222	706994	100 x 50 GTD	H3	6.0		60.0	0.300	
223	706995	100 x 25 D4S SL	H3	6.0	Smooth Decking	108.0	0.270	
224	709749	150 x 50 MG	H4	RDL		51.0	0.383	
225	726513	100 x 25 D4S	H3	RDL		257.9	0.645	
226	731565	150 x 25 D4S	H3	RDL	Palings	235.4	0.883	
227	706996	150 x 50 RS SL	H3	5.4		129.6	0.972	
228	703635	100 x 50 RS SL	H4	4.8	Rails / In Ground	38.4	0.192	
229	638833	100 x 50 MG SL	H3	4.8		86.4	0.432	
230	710603	100 x 50 MG SL	H4	6.0	Garden Edging	48.0	0.240	
231	710607	100 x 40 GTD SL	H3	3.6	Decking	82.8	0.331	
232	610093	100 x 50 MG	H3	RDL		62.4	0.312	
233	698715	100 x 25 GTD SL	H3	4.2	GripTread Decking	117.6	0.294	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
234	721509	75 x 25 D4S	H3	RDL		957.6	1.796	
235	710604	150 x 25 D4S SL	H3	4.8	Fencing / Cladding	177.6	0.666	
236	710605	200 x 50 MG SL	H3	6.0		48.0	0.480	
237	721759	75 x 50 MG	H4	RDL	Rails / Framing / In Ground	77.0	0.289	
238	722510	100 x 40 RS	H4	RDL		378.5	1.514	
239	710593	50 x 19 RS	H3	4.8	Battening	1684.8	1.601	
240	710594	200 x 25 D4S SL	H3	4.8		187.2	0.936	
241	722507	150 x 40 MG	H4	RDL		313.6	1.882	
242	702533	200 x 50 RS SL	H3	4.2	Rails / Stockyard	16.8	0.168	
243	710602	50 x 50 MG	H4	RDL	Battens / Framing	169.9	0.425	
244	702383	150 x 50 MG SL	H3	4.2		117.6	0.882	
245	702357	150 x 50 MG SL	H3	4.2	Joists / Perlins / Fencing	147.0	1.103	
246	710601	200 x 25 D4S SL	H3	4.8		240.0	1.200	
247	710595	150 x 30 RS SL	H3	4.8	Rails/Shelving	379.2	1.706	
248	706987	50 x 25 D4S SL	H3	4.8		124.8	0.156	
249	706988	100 x 50 MG	H3	RDL	Rails / Framing	69.3	0.347	
250	706989	100 x 50 MG	H3	RDL		156.0	0.780	
251	675802	150 x 50 MG	H4	RDL	Retaining / Rails / Edging	92.4	0.693	
252	677449	200 x 25 D4S SL	H3	5.4		226.8	1.134	
253	706990	125 x 30 RS SL	H3	6.0	Rails	636.0	2.385	
254	710596	200 x 50 MG	H5	RDL	SG8	39.5	0.395	
255	709546	100 x 50 MG	H4	RDL		269.0	1.345	
256	680674	250 x 50 MG	H4	RDL		52.3	0.654	
257	710597	100 x 50 MG SL	H4	5.4	SG8	135.0	0.675	
258	665298	150 x 25 RWB SL	H3	5.4	Rusticated Weather Board	394.2	1.478	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
259	710598	100 x 50 MG SL	H4	6.0		120.0	0.600	
260	680798	75 x 50 MG	H3	RDL	SG8	276.9	1.038	
261	731498	150 x 25 D4S SL	H3	3.6		111.6	0.419	
262	709285	150 x 50 TG&V	H4	RDL	Retainer/Boardwalk	224.9	1.687	
263	731314	250 x 50 MG SL	H4	4.8		48.0	0.600	
264	707336	75 x 50 MG SL	H3	4.8		91.2	0.342	
265	697342	200 x 50 MG SL	H4	4.8	Retainer	91.2	0.912	
266	710599	50 x 50 RS CTL	H3	3.0		48.0	0.120	
267	710608	50 x 50 RS CTL	H3	3.0		117.0	0.293	
268	710609	75 x 50 MG	H3	RDL	SG8	175.5	0.658	
269	710610	150 x 40 RS SL	H4	3.6		151.2	0.907	
270	731138	100 x 75 MG SL	H5	3.6		100.8	0.756	
271	710611	150 x 40 RS SL	H4	3.6	Retaining / Rails	151.2	0.907	
272	710612	100 x 40 GTD SL	H3	3.6		28.8	0.115	
273	710622	100 x 50 MG	H4	5.4	Studs/In Ground	64.8	0.324	
274	710623	300 x 50 MG SL	H3	4.2		105.0	1.575	
275	680850	75 x 25 RS SL	H3	4.8	Fencing / Baseboards	744.0	1.395	
276	710624	100 x 50 RS	H4	RDL		413.8	2.069	
277	723859	100 x 40 MG	H3	3.6		64.8	0.259	
278	702688	100 x 75 MG SL	H4	3.6	Bearer / Posts	21.6	0.162	
279	702445	150 x 50 MG	H3	RDL		53.8	0.404	
280	710626	100 x 40 SMOOTH SL	H3	3.6	Premium Smooth Decking	237.6	0.950	
281	731136	100 x 75 MG SL	H5	4.2		37.8	0.284	
282	710625	200 x 25 RS SL	H3	4.2		84.0	0.420	
283	707094	100 x 50 MG SL	H3	4.2		84.0	0.420	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
284	658309	150 x 50 TG&V SL	H4	4.2		92.4	0.693	
285	710613	150 x 50 MG SL	H3	4.2	SG8	29.4	0.221	
286	710614	125 x 30 RS SL	H3	4.2		75.6	0.283	
287	710616	150 x 25 RS SL	H3	4.8	Rails / Cladding / Paling	336.0	1.260	
288	680840	200 x 50 RS	H3	RDL		77.4	0.774	
289	705851	200 x 50 MG SL	H3	4.8		33.6	0.336	
290	730247	150 x 25 SHIPLAP	H3	RDL	Shiplap Paling / Wall Lining	193.9	0.727	
291	702381	150 x 50 MG SL	H3	4.8		96.0	0.720	
292	699904	100 x 50 MG SL	H3	4.8	SG8 Framing	134.4	0.672	
293	724711	150 x 25 D4S SL	H3	4.8		249.6	0.936	
294	710615	100 x 50 MG SL	H3	4.2		210.0	1.050	
295	710617	100 x 25 D4S SL	H3	4.8	Smooth Decking	556.8	1.392	
296	710621	200 x 25 RS SL	H3	5.4		64.8	0.324	
297	710618	300 x 40 MG SL	H3	6.0	Shelving/Fascia	108.0	1.296	
298	710619	100 x 25 GTD SL	H3	4.2	Decking	117.6	0.294	
299	710620	100 x 25 D4S	H3	RDL	Smooth Decking	184.6	0.462	
300	710627	50 x 25 D4S SL	H3	4.2		680.4	0.851	
301	710628	200 x 50 MG SL	H3	5.4		97.2	0.972	
302	669412	75 x 50 RS SL	H3	4.8	Rails	259.2	0.972	
303	710629	150 x 50 RS SL	H3	4.8		100.8	0.756	
304	710630	75 x 50 MG	H3	RDL		288.0	1.080	
305	710631	50 x 40 MG	H3	RDL	Sheep Grating	1229.8	2.460	
306	710632	150 x 25 RS SL	H3	4.8		124.8	0.468	
307	710633	100 x 40 MG SL	H3	4.8		302.4	1.210	
308	710634	100 x 40 MG	H3	4.2	Smooth Decking	84.0	0.336	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
309	710635	100 x 40 MG SL	H3	4.8	Smooth Decking	139.2	0.557	
310	710636	100 x 40 MG SL	H3	5.4	Smooth Decking	297.0	1.188	
311	680887	150 x 50 RS	H4	RDL	Retaining	103.9	0.779	
312	710637	75 x 50 RS SL	H3	5.4	Rails / Fencing	351.0	1.316	
313	710639	150 x 40 RS SL	H3	6.0		108.0	0.648	
314	710638	150 x 40 GTD	H3	2.9	Boardwalk	17.4	0.104	
315	710640	100 x 40 GTD SL	H3	3.6		82.8	0.331	
316	700017	50 x 50 MG	H3	RDL	Battens	104.0	0.260	
317	702444	150 x 50 MG	H3	RDL		104.3	0.782	
318	710645	50 x 19 RS	H3	4.8	Battening	864.0	0.821	
319	724008	150 x 50 TG&V SL	H4	4.8		283.2	2.124	
320	710644	50 x 50 MG	H3	RDL		117.3	0.293	
321	669486	100 x 25 GTD SL	H3	4.2	GripTread Decking	130.2	0.326	
322	638732	50 x 40 MG SL	H3	4.8		124.8	0.250	
323	710643	75 x 25 Weather Groove SL	H3	4.8	Vertical Battening	499.2	0.936	
324	710641	150 x 40 GTD SL	H3	6.0	Decking	198.0	1.188	
325	710642	250 x 50 RS	H3	RDL	Yards/Joists/Rafters	40.9	0.511	
326	710646	100 x 25 D4S SL	H3	4.2		168.0	0.420	
327	710650	100 x 25 D4S SL	H3	4.2		504.0	1.260	
328	710649	200 x 30 MG Merch	H3	4.2		415.8	2.495	
329	730248	50 x 25 D4S	H3	RDL	Trellis / Cavity Batten	244.0	0.305	
330	730250	150 x 50 MG SL	H4	3.6		118.8	0.891	
331	710647	150 x 25 RS SL	H3	4.2		252.0	0.945	
332	710651	250 x 50 RS SL	H3	3.9	SG8	156.0	1.950	
333	710652	50 x 25 RS SL	H3	4.8		254.4	0.318	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)



LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
334	710648	50 x 25 RS SL	H3	4.8	Fencing / Battening	960.0	1.200	
335	710653	100 x 25 GTD SL	H3	4.8	Decking	177.6	0.444	
336	710654	150 x 25 RWB	H3	RDL		87.0	0.326	
337	710655	100 x 50 MG SL	H3	6.0	SG12	60.0	0.300	
338	710663	200 x 50 RS	H3	5.7		11.4	0.114	
339	710662	100 x 50 MG	H3	RDL	SG8	86.7	0.434	
340	710661	75 x 50 RS SL	H3	4.8		96.0	0.360	
341	710656	75 x 50 MG SL	H3	4.8		153.6	0.576	
342	710657	75 x 50 RS SL	H3	6.0	Fence Rails	300.0	1.125	
343	710658	100 x 75 MG	H4	RDL		35.2	0.264	
344	710659	100 x 50 MG SL	H3	4.8		38.4	0.192	
345	710660	100 x 75 MG	H4	RDL	Post / Bearers	25.3	0.190	
346	710664	200 x 25 RS	H3	RDL		84.8	0.424	
347	710676	150 x 40 RS SL	H3	4.8	Rails	115.2	0.691	
348	730718	75 x 25 D4S	H3	RDL		1066.0	1.999	
349	730722	100 x 40 GTD	H3	RDL	GripTread Decking	140.3	0.561	
350	730721	50 x 25 RS SL	H3	5.4		145.8	0.182	
351	710725	75 x 50 RS SL	H3	4.8	Fence Rails	240.0	0.900	
352	709555	100 x 25 D4S	H3	RDL		172.8	0.432	
353	730723	200 x 50 RS SL	H4	4.8		57.6	0.576	
354	710675	50 x 50 RS CTL	H3	1.5	Battens / Stakes	175.5	0.439	
355	710665	150 x 25 RS	H3	0.9	Palings	252.0	0.945	
356	710666	100 x 100 RS CTL	H4	1.5	Posts	3.0	0.030	
357	710674	150 x 100 RS	H4	1.8		3.6	0.054	
358	710673	200 x 75 RS CTL	H4	1.8	Posts	5.4	0.081	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
359	710672	150 x 25 RS CTL	H3	1.0	Palings	140.0	0.525	
360	710667	200 x 150 RS	H4	0.350	Blocks	30.8	0.924	
361	B15229	150 x 19 RS CTL	H3	1.5	Palings	294.0	0.838	
362	710671	50 x 50 RS CTL	H3	1.5		300.0	0.750	
363	710670	50 x 50 RS CTL	H3	1.140	Fence Battens	501.6	1.254	
364	710668	150 x 25 RS CTL	H3	0.9		107.1	0.402	
365	710669	100 x 100 MG	H4	2.4	SG8	45.6	0.456	
366	710677	200 x 150 RS	H4	0.350		35.0	1.050	
367	723890	150 x 50 MG	H3	2.7	Rails / Joists	97.2	0.729	
368	710678	100 x 100 MG	H4	RDL	Posts	112.5	1.125	
369	710681	25 x 25 RS	H3	RDL		1755.3	1.097	
370	710686	200 x 50 RS CTL	H3	3.0	SG8	27.0	0.270	
371	710679	150 x 25 RS CTL	H3	1.5	Fence Palings	85.5	0.321	
372	710682	100 x 100 MG CTL	H4	2.1	Posts	105.0	1.050	
373	710685	100 x 50 RS	H4	RDL		237.6	1.188	
374	710683	150 x 25 RS CTL	H3	1.2	Fence Palings	64.8	0.243	
375	710684	150 x 25 RS CTL	H3	1.4		75.6	0.284	
376	732955	100 x 100 RS	H4	RDL		148.2	1.482	
377	710699	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile Farm Pack	174.2	0.717	
378	710688	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	159.6	0.491	
379	710698	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	238.5	1.188	
380	710689	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	187.2	0.612	
381	710697	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	261.0	1.323	
382	710690	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	115.2	0.615	
383	710696	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	269.8	1.516	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
384	710695	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	396.0	1.276	
385	710694	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	220.5	1.534	
386	710693	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	279.0	1.275	
387	710691	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	189.0	0.378	
388	710692	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	48.6	0.445	
389	680955	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	305.5	1.008	
390	680956	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	286.0	1.155	
391	710700	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	216.6	0.892	
392	710710	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	136.8	0.509	
393	710702	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	161.0	0.573	
394	710719	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	333.2	0.926	
395	710720	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	156.8	0.955	
396	710703	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	280.9	1.325	
397	710705	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	198.9	1.515	
398	710706	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	184.0	0.583	
399	710707	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	235.6	0.366	
400	710711	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	210.7	1.393	
401	710712	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	283.8	1.012	
402	710718	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	149.1	0.858	
403	710713	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	155.8	0.535	
404	710717	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	113.4	0.392	
405	710714	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	63.0	0.409	
406	710716	Mixed Size H3/H4	H3/H4 mix	RDL	Mixed Profile	116.0	0.290	

## Fence Battens - Multi Lots - Sold Per Piece By Full Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Lot	GrM3 Per Lot	Sell
407	6 Pkts	50 x 40 RS CTL	H3	1.140		462	1.053	