



"Monster Timber Auction"

Auctioneer : Mr Roger Low

On Site : Max Birt Sawmills
Lumsden Road, Ohinewai

(Take Ohinewai off ramp on SH1 5 kilometres north of Huntly, Lumsden Road runs parallel with SH1 on Eastern side of railway line)

10.00am start: Saturday 23rd March 2019

Viewing from: 9.00am Monday 11th March 2019

Registration from: 8.00am Saturday 23rd March 2019

This Auction is GST EXCLUSIVE

(GST of 15% will be added to bid price at time of settlement)

Terms of Payment:

Cash, Eftpos, Cheque or all major credit cards.

Full payment to be made by 5.00pm on day of sale (23rd March).

Conditions of sale:

All product **MUST** be removed from Max Birt Sawmills yard by Thursday 18th April 2019, otherwise goods will be sold to defray expenses. (A freighter will be on site on the day for your freight requirements).

No loading of any product will be permitted before the auction has been completed.

No goods will be released without an MBS inv paid in full being presented at time of load out.

Freight by own arrangement.

Registration constitutes acceptance of conditions of sale.

Disclaimer:

MBS has made every effort to ensure correct tallies and product description has been made available prior to sale, however it is the purchaser's responsibility to ensure they are satisfied with items being purchased at the fall of the hammer. All persons must make themselves aware of all hazards on site on the day!

NZ's largest manufacturer of

H3 & H4 Sawn & Gauged Posts, Rails, Palings & Decking

and suppliers of

Pickets, Framing, Roundwood, Poles & Piles.

155 S/H 2 Pokeno , Waikato. Phone (09) 294 7800 Fax (09) 294 7011
Shannon 0272 903 342 or Steve 0274 783 839



Ohinewai Auction March 2019

Single Pkt Lots - Sold Per Lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
1	730915	100 x 50 RS SL	H3	4.8		240.0	1.200	
2	730964	100 x 75 MG	H5	RDL	Post / Bearers	181.2	1.359	
3	730965	200 x 50 MG	H3	RDL		116.4	1.164	
4	730913	150 x 50 RS SL	H3	5.4		189.0	1.418	
5	730907	250 x 50 MG SL	H3	6.0	SG8	36.0	0.450	
6	760485	100 x 75 RS SL	H4	4.8		115.2	0.864	
7	733669	150 x 50 RS SL	H4	5.4		151.2	1.134	
8	730908	250 x 50 RS SL	H4	6.0	Yard Rails/Retainer	66.0	0.825	
9	733672	150 x 50 RS SL	H4	6.0		42.0	0.315	
10	730909	100 x 100 MG	H4	RDL	Posts	192.0	1.920	
11	R502631	200 x 50 MG SL	H4	4.8	Retainer	19.2	0.192	
12	730967	75 x 50 MG SL	H3	4.2		239.4	0.898	
13	730910	100 x 50 MG SL	H3	4.8	SG8	76.8	0.384	
14	743474	150 x 50 MG	H3	RDL	Rails / Joists	103.8	0.779	
15	730966	150 x 100 MG	H4	RDL		64.3	0.965	
16	730911	200 x 75 MG SL	H3	5.4	Bridging / SG8	86.4	1.296	
17	771539	100 x 100 MG	H4	RDL	Posts	128.4	1.284	
18	730968	150 x 50 MG	H3	RDL	Rails / Joists	210.0	1.575	
19	730969	75 x 50 MG	H4	RDL	Rails / Framing / In Ground	367.9	1.380	
20	760979	100 x 50 MG SL	H4	6.0	Studs/In Ground	600.0	3.000	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
21	730915	100 x 25 SMOOTH SL	H3	5.4	Premium Decking	691.2	1.728	
22	730959	250 x 50 MG SL	H3	6.0	SG8	48.0	0.600	
23	718175	200 x 75 MG SL	H3	6.0	SG8	108.0	1.620	
24	668126	100 x 50 MG	H3	RDL		268.8	1.344	
25	730916	75 x 50 MG SL	H3	6.0		156.0	0.585	
26	765919	300 x 50 MG SL	H3	4.8	SG10	43.2	0.648	
27	730970	200 x 75 RS SL	H4	4.8	Bridging / Retainer / Rafter	72.0	1.080	
28	743779	300 x 50 MG	H3	RDL		127.8	1.917	
29	668062	250 x 50 MG	H3	RDL	Steps / Walkway	127.2	1.590	
30	730955	125 x 50 MG	H4	RDL	Retainer/Rail/Joist	220.9	1.381	
31	730971	100 x 40 SMOOTH SL	H3	5.4	Smooth Decking / Framing	108.0	0.432	
32	730972	150 x 50 MG SL	H4	5.4		102.6	0.770	
33	730973	250 x 50 MG	H3	RDL	Steps / Walkway	99.6	1.245	
34	767510	200 x 25 RS SL	H4	5.4		156.6	0.783	
35	730957	150 x 25 RS SL	H3	5.4	Fence / Cladding	367.2	1.377	
36	754968	100 x 50 RS SL	H3	4.8		62.4	0.312	
37	730974	300 x 25 RS SL	H3	5.4	Cladding	43.2	0.324	
38	718325	100 x 40 GTD SL	H3	5.4	Decking Premium	156.6	0.626	
39	730918	150 x 50 RS SL	H3	4.8		110.4	0.828	
40	754920	150 x 50 RS SL	H4	5.4		167.4	1.256	
41	757484	150 x 25 RS SL	H4	5.4	In Ground / Fence	340.2	1.276	
42	760006	250 x 50 RS SL	H3	5.4	Stockyard / Joist / Rail	37.8	0.473	
43	730960	100 x 50 MG	H4	5.4	Studs / In Ground / SG8	432.0	2.160	
44	730975	100 x 75 MG	H4	RDL	Post / Bearers	138.5	1.039	
45	733613	300 x 50 RS SL	H3	6.0		54.0	0.810	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
46	756443	75 x 50 RS SL	H3	6.0	Fence Rails	228.0	0.855	

Multi Pkt Lots - Sold Per Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
47	6 Pkts	100 x 50 MG SL	H3	6.0		300.0	1.500	
48	6 Pkts	200 x 25 D4S SL	H3	6.0		300.0	1.500	
49	6 Pkts	100 x 75 MG SL	H5	6.0	Verandah Post	180.0	1.350	
50	3 Pkts	150 x 75 RS SL	H4	6.0	Bearers / Retaining	126.0	1.418	
51	6 Pkts	100 x 40 GTD SL	H3	6.0		480.0	1.920	
52	6 Pkts	150 x 50 RS SL	H4	6.0		210.0	1.575	
53	3 Pkts	200 x 50 MG SL	H3	4.2	MSG8	105.0	1.050	
54	6 Pkts	150 x 25 RS SL	H3	4.2		294.0	1.103	
55	6 Pkts	150 x 50 TG&V SL	H4	4.2		176.4	1.323	
56	2 Pkts	100 x 25 GTD SL	H3	3.6	Decking Premium	360.0	0.900	
57	6 Pkts	150 x 50 MG SL	H3	3.6	SG8	126.0	0.945	
58	6 Pkts	150 x 25 D4S SL	H3	3.6		252.0	0.945	
59	4 Pkts	200 x 50 RS SL	H4	4.8		120.0	1.200	
60	5 Pkts	250 x 50 MG SL	H3	4.8	Stock Yard / Rafters	96.0	1.200	
61	6 Pkts	100 x 25 D4S SL	H3	4.8		480.0	1.200	
62	5 Pkts	200 x 50 TG&V SL	H4	5.4	Retaining	162.0	1.620	
63	4 Pkts	100 x 25 GTD SL	H3	5.4	Decking/Baseboard	540.0	1.350	
64	6 Pkts	100 x 50 RGH SL	H4	5.4	Rougher Header / In Ground	270.0	1.350	
65	4 Pkts	150 x 50 RS SL	H4	3.6		126.0	0.945	
66	3 Pkts	250 x 50 MG SL	H3	3.6	Joists	72.0	0.900	
67	6 Pkts	100 x 40 SMOOTH SL	H3	3.6	Premium Decking	288.0	1.152	
68	3 Pkts	75 x 50 RS SL	H3	4.8	Fence Rails / No1	312.0	1.170	
69	6 Pkts	300 x 50 RS SL	H3	4.8		72.0	1.080	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
70	6 Pkts	100 x 50 MG SL	H3	4.8	Framing	240.0	1.200	
71	6 Pkts	200 x 50 MG SL	H3	5.4		135.0	1.350	
72	6 Pkts	200 x 25 RS SL	H3	5.4		270.0	1.350	
73	2 Pkts	150 x 50 TG&V SL	H4	5.4	Retainer / Heavy Floor	226.8	1.701	
74	3 Pkts	100 x 40 SMOOTH	H3	2.4	Premium Decking	192.0	0.768	
75	2 Pkts	100 x 75 RS CTL	H4	2.4	Posts	168.0	1.260	
76	6 Pkts	100 x 50 RGH SL	H4	6.0	Rougher Header	300.0	1.500	
77	6 Pkts	150 x 50 MG SL	H3	6.0	Joist / Rails	210.0	1.575	
78	6 Pkts	200 x 50 MG SL	H3	4.8		120.0	1.200	
79	6 Pkts	200 x 25 D4S SL	H3	4.8	Shelving / Cladding / Fence	240.0	1.200	
80	6 Pkts	150 x 40 RS SL	H4	4.8	Retaining / Rails	201.6	1.210	
81	2 Pkts	150 x 25 SHIPLAP CTL	H3	1.2	Fence Panels	168.0	0.630	
82	2 Pkts	200 x 25 RS CTL	H3	1.5		150.0	0.750	
83	2 Pkts	100 x 75 RS SL	H4	4.2	Posts	126.0	0.945	
84	6 Pkts	100 x 25 D4S SL	H3	4.2		420.0	1.050	
85	6 Pkts	100 x 25 GTD SL	H3	4.8	Decking	480.0	1.200	
86	6 Pkts	150 x 75 RS SL	H4	4.8	Retainer / Rafter / Bearer	100.8	1.134	
87	6 Pkts	200 x 50 TG&V SL	H4	4.8	Retaining	144.0	1.440	
88	4 Pkts	150 x 50 RS SL	H5	5.4	SG8	189.0	1.418	
89	6 Pkts	100 x 50 MG SL	H3	5.4		270.0	1.350	
90	6 Pkts	100 x 25 RS SL	H3	5.4		540.0	1.350	
91	2 Pkts	200 x 25 RS SL	H3	4.8	Vertical Cladding	240.0	1.200	
92	3 Pkts	75 x 25 D4S SL	H3	4.8		624.0	1.170	
93	5 Pkts	150 x 40 RS SL	H3	4.8	Rails	201.6	1.210	
94	2 Pkts	300 x 100 RS SL	H4	6.0		54.0	1.620	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
95	6 Pkts	150 x 50 TG&V SL	H4	6.0	Retaining	252.0	1.890	
96	6 Pkts	100 x 100 RS SL	H4	6.0		180.0	1.800	
97	4 Pkts	100 x 25 TG&V	H3	5.4	Wall Lining	540.0	1.350	
98	6 Pkts	200 x 50 RS SL	H4	5.4		135.0	1.350	
99	6 Pkts	200 x 50 MG SL	H3	5.4	SG8	135.0	1.350	
100	3 Pkts	250 x 50 MG SL	H3	4.2		84.0	1.050	
101	6 Pkts	200 x 25 D4S SL	H3	4.2	Shelving/Cladding	210.0	1.050	
102	6 Pkts	100 x 40 GTD SL	H3	4.2	Premium Decking	336.0	1.344	
103	4 Pkts	125 x 125 RS CTL	H5	0.6	House Piles	28.8	0.450	
104	4 Pkts	125 x 125 RS CTL	H5	0.750	House Piles	24.0	0.375	
105	4 Pkts	125 x 125 RS CTL	H5	0.9	House Piles	28.8	0.450	
106	4 Pkts	125 x 125 RS CTL	H5	1.8	House Piles	28.8	0.450	
107	6 Pkts	100 x 25 GTD SL	H3	4.2	Premium Decking	420.0	1.050	
108	6 Pkts	150 x 40 RS SL	H4	4.2	Retaining / Fence Rails	176.4	1.058	
109	6 Pkts	150 x 25 D4S SL	H3	4.2		294.0	1.103	
110	6 Pkts	200 x 50 MG SL	H3	4.2		105.0	1.050	
111	6 Pkts	150 x 50 RS SL	H4	4.8	Farm Rails / Retaining	168.0	1.260	
112	6 Pkts	100 x 50 MG SL	H3	4.8		240.0	1.200	
113	6 Pkts	100 x 40 GTD SL	H3	4.8		384.0	1.536	
114	6 Pkts	300 x 50 MG SL	H3	4.8		72.0	1.080	
115	3 Pkts	150 x 50 TG&V SL	H4	4.8		201.6	1.512	
116	3 Pkts	150 x 25 D4S SL	H3	4.8		336.0	1.260	
117	6 Pkts	100 x 50 RGH SL	H4	4.8	Rougher Header	240.0	1.200	
118	6 Pkts	75 x 50 MG SL	H3	4.8		312.0	1.170	
119	3 Pkts	150 x 50 MG SL	H3	4.8		168.0	1.260	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
120	6 Pkts	200 x 50 RS SL	H3	4.8		120.0	1.200	
121	6 Pkts	100 x 50 RS SL	H4	4.8		240.0	1.200	
122	3 Pkts	50 x 25 RS SL	H3	4.8	Fencing / Battening	960.0	1.200	
123	3 Pkts	75 x 25 RS SL	H3	6.0	Baseboards / Fencing	780.0	1.463	
124	6 Pkts	300 x 50 MG SL	H3	6.0		90.0	1.350	
125	6 Pkts	250 x 50 RS SL	H4	6.0	Yard Rails/Retainer	120.0	1.500	
126	6 Pkts	75 x 50 RS SL	H3	6.0	Fence Rails	390.0	1.463	
127	4 Pkts	100 x 50 MG	H3	3.0	SG8 Framing	150.0	0.750	
128	2 Pkts	50 x 50 MG CTL	H3	0.9	Balustrades / Battens	180.0	0.450	
129	5 Pkts	250 x 25 D4S SL	H3	5.4		216.0	1.350	
130	6 Pkts	150 x 50 MG SL	H3	5.4	SG8	189.0	1.418	
131	6 Pkts	100 x 50 RS SL	H4	5.4		270.0	1.350	
132	5 Pkts	100 x 40 SMOOTH CTL	H3	3.0	Premium Decking	240.0	0.960	
133	6 Pkts	200 x 50 TG&V SL	H4	3.6		108.0	1.080	
134	6 Pkts	250 x 50 RS SL	H3	3.6		72.0	0.900	
135	4 Pkts	150 x 40 SMOOTH SL	H3	3.6	Premium Decking	201.6	1.210	
136	4 Pkts	200 x 50 RS SL	H4	4.2	Stockyard/Retainer	105.0	1.050	
137	6 Pkts	100 x 25 GTD SL	H3	4.2		420.0	1.050	
138	6 Pkts	150 x 50 RS SL	H4	4.2	Joists / Rails / In Ground	147.0	1.103	
139	6 Pkts	150 x 50 MG SL	H3	4.2	SG8	147.0	1.103	
140	4 Pkts	100 x 25 D4S SL	H3	6.0	Smooth Decking	600.0	1.500	
141	6 Pkts	150 x 25 RS SL	H3	6.0		420.0	1.575	
142	6 Pkts	300 x 50 RS SL	H4	6.0		90.0	1.350	
143	6 Pkts	250 x 50 MG SL	H3	6.0		120.0	1.500	
144	5 Pkts	100 x 40 GTD SL	H3	3.6	Premium Decking	288.0	1.152	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
145	6 Pkts	200 x 50 MG SL	H3	3.6	Rail/Joist	90.0	0.900	
146	2 Pkts	250 x 50 RS SL	H3	3.6	SG8	72.0	0.900	
147	6 Pkts	100 x 25 SMOOTH SL	H3	3.6	Premium Decking	360.0	0.900	
148	5 Pkts	100 x 50 MG CTL	H3	2.4	SG8	120.0	0.600	
149	2 Pkts	100 x 40 SMOOTH CTL	H3	2.7	Premium Decking	216.0	0.864	
150	6 Pkts	100 x 50 RS SL	H4	6.0		300.0	1.500	
151	6 Pkts	200 x 50 TG&V SL	H4	6.0	Retaining/ Flooring	180.0	1.800	
152	6 Pkts	250 x 25 D4S SL	H3	6.0	Shelving / Cladding	240.0	1.500	
153	2 Pkts	150 x 40 GTD SL	H3	4.2	Premium Decking	176.4	1.058	
154	6 Pkts	75 x 25 D4S SL	H3	4.2		546.0	1.024	
155	6 Pkts	100 x 25 RS SL	H3	4.2		420.0	1.050	
156	5 Pkts	100 x 40 SMOOTH CTL	H3	3.3	Premium Decking	264.0	1.056	
157	4 Pkts	300 x 50 RS SL	H3	5.4		81.0	1.215	
158	6 Pkts	100 x 25 D4S SL	H3	5.4	Smooth	540.0	1.350	
159	6 Pkts	150 x 50 RS SL	H4	5.4		189.0	1.418	
160	6 Pkts	75 x 50 MG SL	H3	6.0	Rails / Framing	390.0	1.463	
161	6 Pkts	150 x 40 RS SL	H3	6.0		252.0	1.512	
162	4 Pkts	100 x 40 GTD SL	H3	5.4	Decking	432.0	1.728	
163	6 Pkts	200 x 25 D4S SL	H3	5.4		270.0	1.350	
164	2 Pkts	150 x 25 RS SL	H3	5.4		378.0	1.418	
165	6 Pkts	100 x 75 RS SL	H4	4.8		144.0	1.080	
166	6 Pkts	150 x 50 RS SL	H4	4.8		168.0	1.260	
167	6 Pkts	100 x 50 MG SL	H3	5.4	Framing / Rails	270.0	1.350	
168	6 Pkts	200 x 50 RS SL	H4	5.4		135.0	1.350	

Single Pkt Lots - Sold per lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
169	730928	100 x 40 SMOOTH CTL	H3	3.0		105.0	0.420	
170	730927	150 x 25 TG&V	H3	RDL	Fence / Wall Lining	155.4	0.583	
171	730993	100 x 25 SMOOTH SL	H3	3.6	Smooth Decking Premium	108.0	0.270	
172	767385	200 x 50 RGH SL	H4	3.6	Rougher Header	57.6	0.576	
173	730926	100 x 50 MG SL	H4	3.6	Studs/In Ground	108.0	0.540	
174	731287	300 x 50 MG SL	H3	3.6		54.0	0.810	
175	731313	250 x 50 MG SL	H3	4.2		33.6	0.420	
176	730994	300 x 50 MG SL	H3	4.2		25.2	0.378	
177	730925	150 x 50 TG&V SL	H4	5.4	Retainer / Heavy Floor	54.0	0.405	
178	730991	125 x 50 MG SL	H4	6.0		60.0	0.375	
179	730929	150 x 50 TG&V SL	H4	6.0	Retaining	90.0	0.675	
180	730992	200 x 50 MG SL	H4	6.0	StockYard/Retainer/Joist	90.0	0.900	
181	668115	150 x 50 MG SL	H3	6.0	Joist / Rails	84.0	0.630	
182	710598	100 x 50 MG SL	H4	6.0		120.0	0.600	
183	733590	150 x 50 MG SL	H4	6.0		204.0	1.530	
184	730923	150 x 50 MG SL	H3	4.2	Joists / Perlins / Fencing	67.2	0.504	
185	760483	100 x 75 RS SL	H4	4.2	Posts	42.0	0.315	
186	730924	200 x 50 MG	H4	RDL	Retaining / Joists	224.4	2.244	
187	768654	100 x 25 SMOOTH SL	H3	4.2		361.2	0.903	
188	760151	150 x 50 RS SL	H3	4.2		147.0	1.103	
189	730919	100 x 50 MG SL	H3	4.2	SG8	37.8	0.189	
190	730920	150 x 40 GTD SL	H3	3.6	Prem Decking	126.0	0.756	
191	760937	150 x 50 MG	H3	RDL	Rails / Joists	178.2	1.337	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
192	756738	150 x 25 RS SL	H3	4.2		159.6	0.599	
193	730921	150 x 50 MG SL	H3	4.2	Joists / Perlins / Fencing	147.0	1.103	
194	730922	150 x 50 Smooth	H3	RDL	Smooth Decking	99.9	0.749	
195	730985	150 x 25 RS SL	H4	5.4	In Ground / Fence	178.2	0.668	
196	730986	100 x 75 MG	H4	RDL	Post / Bearers	173.1	1.298	
197	732253	150 x 40 RS SL	H4	5.4		226.8	1.361	
198	730930	150 x 50 RS SL	H4	6.0		72.0	0.540	
199	730931	100 x 75 RS SL	H4	5.4		243.0	1.823	
200	760977	100 x 25 GTD SL	H3	4.8	Decking	48.0	0.120	
201	730932	100 x 25 RS SL	H4	6.0	Garden Edging	144.0	0.360	
202	730933	150 x 50 TG&V SL	H4	6.0	Retaining	48.0	0.360	
203	730987	200 x 50 MG SL	H4	6.0	StockYard/Retainer/Joist	114.0	1.140	
204	730934	250 x 75 MG SL	H3	6.0	Joists / Rafters / Bearers / SG8	24.0	0.450	
205	750179	75 x 50 MG SL	H3	6.0		312.0	1.170	
206	758474	200 x 50 MG SL	H3	6.0		108.0	1.080	
207	730988	100 x 100 MG SL	H4	4.2		58.8	0.588	
208	730989	150 x 25 D4S SL	H3	3.6		111.6	0.419	
209	733137	100 x 40 SMOOTH SL	H3	3.6	Premium Smooth Decking	288.0	1.152	
210	710615	100 x 50 MG SL	H3	4.2		210.0	1.050	
211	730941	75 x 50 RS	H3	RDL	SG8	342.0	1.283	
212	730942	150 x 50 MG SL	H4	4.8	Retaining / Joists / Perlins	144.0	1.080	
213	730990	100 x 75 MG	H4	RDL	Post / Bearers	289.2	2.169	
214	730940	200 x 50 MG	H3	RDL		219.8	2.198	
215	730939	200 x 50 RS SL	H3	5.4		81.0	0.810	
216	730937	75 x 50 UMOULD	H3	RDL	Fence Capping	42.0	0.158	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
217	730938	250 x 50 MG SL	H3	3.6	Joists / SG8	43.2	0.540	
218	730984	250 x 50 MG	H4	RDL		77.4	0.968	
219	733733	200 x 50 MG SL	H3	4.8	SG8	19.2	0.192	
220	730943	150 x 50 TG&V SL	H4	4.8		139.2	1.044	
221	730936	150 x 40 GTD SL	H3	4.8	Premium	369.6	2.218	
222	730981	125 x 50 MG SL	H4	5.4		21.6	0.135	
223	730944	250 x 50 MG SL	H3	4.8	Stock Yard / Rafters / SG8	28.8	0.360	
224	730945	100 x 40 SMOOTH SL	H3	4.8	Smooth Decking	273.6	1.094	
225	726900	150 x 50 MG SL	H3	4.8		67.2	0.504	
226	730982	250 x 50 MG SL	H4	5.4		48.6	0.608	
227	710998	150 x 50 MG	H4	RDL	Retaining / Rails / Edging	153.0	1.148	
228	757594	150 x 32 RS SL	H3	5.4	Rails	113.4	0.544	
229	730977	250 x 50 RS SL	H3	4.8	SG8	9.6	0.120	
230	730947	75 x 50 MG SL	H4	6.0	Framing / In Ground	36.0	0.135	
231	730978	125 x 50 RS	H3	5.4	Rails/Joists	237.6	1.485	
232	730979	100 x 40 SMOOTH SL	H3	5.4	Smooth Decking / Framing	237.6	0.950	
233	755152	200 x 40 MG SL	H3	5.4	Fascia / Rails	70.2	0.562	
234	730950	150 x 40 MG SL	H3	5.4		113.4	0.680	
235	730980	150 x 50 MG	H4	RDL	Retaining / Rails / Edging	189.0	1.418	
236	730949	100 x 50 RS SL	H3	4.8		33.6	0.168	
237	730948	75 x 25 RS SL	H3	4.8	Fencing / Baseboards	254.4	0.477	
238	730954	150 x 25 D4S SL	H3	4.8		312.0	1.170	
239	730976	250 x 50 RS SL	H4	4.8		81.6	1.020	
240	730951	150 x 25 RS SL	H3	4.8		115.2	0.432	
241	730952	250 x 25 RS SL	H4	4.8	Cladding / In Ground	96.0	0.600	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
242	757875	250 x 50 RS SL	H4	4.2		29.4	0.368	
243	760810	150 x 50 RS SL	H3	3.6		39.6	0.297	
244	731290	300 x 50 MG SL	H3	3.6		21.6	0.324	
245	760812	150 x 50 MG SL	H3	4.8		148.8	1.116	
246	702919	150 x 40 RS SL	H3	4.8	Rails	182.4	1.094	
247	760806	200 x 25 D4S SL	H3	6.0		120.0	0.600	
248	760811	75 x 25 RS SL	H4	6.0	Pickets	456.0	0.855	
249	769243	75 x 50 RS SL	H4	6.0		120.0	0.450	
250	760807	250 x 40 RS	H3	6.0	Fascia	48.0	0.480	
251	760808	200 x 25 RWB SL	H3	6.0		480.0	2.400	
252	760809	150 x 25 RS SL	H3	6.0		294.0	1.103	
253	760802	300 x 25 RS SL	H4	6.0	Cladding	72.0	0.540	
254	760804	100 x 50 MG SL	H3	6.0	Framing / Fence Rails	180.0	0.900	
255	540346	50 x 50 RS	H4	RDL	Stakes / In Ground	627.0	1.568	
256	766957	100 x 25 RS SL	H3	5.4		216.0	0.540	
257	760805	150 x 50 MG	H4	RDL	Retaining / Rails / Edging	342.2	2.566	
258	760798	75 x 50 MG SL	H3	6.0		60.0	0.225	
259	760799	100 x 75 MG	H4	RDL	Post / Bearers	155.1	1.163	
260	730240	300 x 50 RS SL	H4	5.4	Rafters / Joists / Retaining	32.4	0.486	
261	760803	150 x 25 RS SL	H3	5.4		329.4	1.235	
262	760800	300 x 40 MG	H3	RDL		154.0	1.848	
263	760801	150 x 25 RS SL	H3	6.0		258.0	0.968	
264	760813	75 x 50 UMOULD	H3	RDL	Fence Capping	96.6	0.362	
265	760818	150 x 50 PRO1/2R SL	H4	4.8	Fencing / Retaining	225.6	1.692	
266	669912	75 x 25 RS SL	H4	4.8		556.8	1.044	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
267	760814	125 x 50 MG	H4	4.8	Retainer/Rail/Joist	96.0	0.600	
268	669913	75 x 25 RS SL	H3	4.8	Fencing / Baseboards	676.8	1.269	
269	730995	200 x 50 RS SL	H4	4.2	Stockyard/Retainer	126.0	1.260	
270	730996	200 x 50 MG	H4	RDL	Retaining / Joists	97.5	0.975	
271	760981	100 x 40 SMOOTH SL	H3	4.8	Smooth Premium Decking	523.2	2.093	
272	727390	125 x 32 RS SL	H3	4.8		288.0	1.152	
273	756009	50 x 50 RS SL	H3	4.2		163.8	0.410	
274	730997	100 x 40 GTD SL	H3	4.8		158.4	0.634	
275	730998	75 x 50 MG SL	H3	4.8		105.6	0.396	
276	760941	200 x 25 D4S SL	H3	4.8		129.6	0.648	
277	706980	50 x 19 RS	H3	4.8	Battening	1920.0	1.824	
278	708678	100 x 25 RS SL	H4	4.8		201.6	0.504	
279	730962	100 x 50 MG SL	H3	4.2	SG8	58.8	0.294	
280	500599	75 x 50 RGH SL	H4	4.8	In Ground/Framing / F7	144.0	0.540	
281	730963	100 x 100 RS SL	H4	4.8		52.8	0.528	
282	760940	50 x 25 D4S SL	H3	4.8	Pencil Round Arris	796.8	0.996	
283	760013	300 x 50 RS SL	H3	4.8		38.4	0.576	
284	760815	75 x 50 MG SL	H3	3.6		144.0	0.540	
285	709463	100 x 50 MG SL	H3	4.2	SG8	63.0	0.315	
286	715529	150 x 50 MG SL	H3	4.2	Joists / Perlins / Fencing / SG8	147.0	1.103	
287	649581	200 x 50 MG SL	H3	4.2	SG8	42.0	0.420	
288	756598	200 x 50 RS SL	H4	4.2	Stockyard/Retainer	184.8	1.848	
289	730098	150 x 25 RS SL	H3	5.4		59.4	0.223	
290	725656	150 x 32 RS SL	H3	6.0		54.0	0.259	
291	760816	50 x 50 RS SL	H4	6.0	Pegs / Stakes / Battens	312.0	0.780	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
292	760817	150 x 25 RS SL	H3	6.0		120.0	0.450	
293	760819	150 x 25 D4S SL	H3	6.0		288.0	1.080	
294	757789	75 x 25 RS SL	H4	6.0	Pickets	624.0	1.170	
295	760825	75 x 50 MG SL	H3	5.4	Framing	43.2	0.162	
296	760824	200 x 50 MG SL	H3	5.4		97.2	0.972	
297	760823	150 x 50 TG&V	H4	RDL	Retainer/Boardwalk	101.0	0.758	
298	710591	300 x 40 MG	H3	RDL		154.7	1.856	
299	723745	150 x 25 D4S SL	H3	6.0		420.0	1.575	
300	760820	150 x 50 TG&V SL	H4	6.0	Retaining	30.0	0.225	
301	760821	150 x 25 RS SL	H3	6.0		78.0	0.293	
302	760822	150 x 50 MG SL	H4	6.0		108.0	0.810	
303	760826	150 x 50 TG&V SL	H4	6.0	Retaining	198.0	1.485	
304	710618	300 x 40 MG SL	H3	6.0	Shelving/Fascia	108.0	1.296	
305	760832	75 x 50 RS SL	H3	6.0	Fence Rails	300.0	1.125	
306	760831	75 x 50 MG SL	H3	4.8		28.8	0.108	
307	760830	100 x 40 GTD	H3	RDL	GripTread Decking	237.6	0.950	
308	760829	75 x 50 UMOULD	H3	4.8	Fencing / Trellis Surround	48.0	0.180	
309	760828	50 x 50 MG	H3	RDL		271.3	0.678	
310	760827	100 x 25 GTD	H3	RDL		264.3	0.661	
311	760833	75 x 25 Weather Groove SL	H3	5.4	Board & Batten	783.0	1.468	
312	730999	200 x 50 RS SL	H4	3.6	Retaining / Joists	75.6	0.756	
313	760842	100 x 75 MG SL	H4	3.6	Bearer / Posts	108.0	0.810	
314	760841	150 x 50 MG	H3	RDL	Rails / Joists	176.4	1.323	
315	760840	200 x 25 RS SL	H3	4.8	Vertical Cladding	91.2	0.456	
316	710629	150 x 50 RS SL	H3	4.8		100.8	0.756	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
317	760839	200 x 50 MG	H3	3.0		75.0	0.750	
318	760838	150 x 50 MG	H3	RDL	Rails / Joists	117.3	0.880	
319	706986	150 x 50 TG&V SL	H4	4.2		176.4	1.323	
320	709997	150 x 50 MG	H3	RDL	Rails / Joists	200.9	1.507	
321	766310	200 x 50 RS SL	H4	3.6	Retaining / Joists	21.6	0.216	
322	760837	100 x 25 GTD SL	H3	3.6		72.0	0.180	
323	760836	100 x 40 GTD SL	H3	3.6	Premium	129.6	0.518	
324	760835	150 x 50 MG SL	H3	3.6		93.6	0.702	
325	760843	100 x 40 GTD	H3	RDL	GripTread Decking	167.7	0.671	
326	730789	100 x 50 RS SL	H3	3.6		180.0	0.900	
327	760844	100 x 25 RS SL	H3	4.8		144.0	0.360	
328	760845	50 x 40 Boron RS SL	H1	4.8	Tile Batten	268.8	0.538	
329	760850	150 x 25 RS SL	H3	4.8		48.0	0.180	
330	760849	150 x 50 PRO1/2R	H4	RDL	Retainer / Rails	41.4	0.311	
331	760848	75 x 25 RS SL	H3	4.8	Fencing / Baseboards	571.2	1.071	
332	760847	150 x 25 RS SL	H3	4.8		129.6	0.486	
333	760846	150 x 50 MG	H3	3.0		75.0	0.563	
334	710996	150 x 25 SHIPLAP CTL	H3	2.4	Shiplap Fencing	146.4	0.549	
335	760858	200 x 25 MG	H4	RDL	Cladding / Shelving	145.6	0.728	
336	760857	150 x 50 MG SL	H3	3.6		97.2	0.729	
337	722069	50 x 50 MG SL	H3	3.6	Balustrades	187.2	0.468	
338	710995	100 x 40 GTD	H3	RDL	GripTread Decking	132.8	0.531	
339	760856	200 x 50 RS	H4	RDL		34.0	0.340	
340	760855	300 x 50 MG	H4	RDL		17.6	0.264	
341	760854	100 x 25 GTD SL	H3	4.2	GripTread Decking	117.6	0.294	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
342	760853	75 x 25 Weather Groove SL	H3	4.2	Batten Over Ply	735.0	1.378	
343	760852	150 x 25 SHIPLAP	H3	RDL	Shiplap Paling / Wall Lining	325.5	1.221	
344	710997	200 x 25 D4S SL	H3	4.8		240.0	1.200	
345	760859	75 x 50 MG	H3	RDL		84.0	0.315	
346	760867	150 x 50 MG SL	H3	6.0	Joist / Rails	48.0	0.360	
347	732254	150 x 40 RS SL	H4	5.4		86.4	0.518	
348	723864	100 x 25 SMOOTH SL	H3	5.4	Smooth Decking Premium	194.4	0.486	
349	760866	150 x 40 RS SL	H3	5.4	Fence Rails	162.0	0.972	
350	760865	100 x 50 MG SL	H3	6.0	Framing / Fence Rails	222.0	1.110	
351	760864	200 x 25 D4S SL	H3	6.0		270.0	1.350	
352	760863	75 x 50 MG	H3	RDL		222.3	0.834	
353	760862	150 x 40 RS	H4	RDL		22.1	0.133	
354	760861	200 x 40 MG SL	H3	4.2		25.2	0.202	
355	760868	150 x 50 MG SL	H3	4.8		38.4	0.288	
356	754882	150 x 50 RS SL	H4	4.8		28.8	0.216	
357	760873	250 x 50 RS SL	H3	4.8	SG8	14.4	0.180	
358	760872	50 x 50 MG	H3	RDL		431.6	1.079	
359	760874	150 x 25 RS	H3	RDL	Palings	134.6	0.505	
360	706806	100 x 50 MG	H4	RDL	Studs/In Ground	166.0	0.830	
361	760881	200 x 25 D4S SL	H3	6.0		270.0	1.350	
362	760880	125 x 32 RS SL	H3	6.0	Sheep Rails	210.0	0.840	
363	760893	150 x 25 SHIPLAP CTL	H3	1.8	Fence Paling	88.2	0.331	
364	760891	100 x 75 RS CTL	H4	2.4	Posts	72.0	0.540	
365	760897	100 x 25 RS CTL	H3	1.8		315.0	0.788	
366	760907	150 x 25 SHIPLAP	H3	RDL	Shiplap Paling / Wall Lining	43.0	0.161	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
367	760905	75 x 25 RS CTL	H3	1.2		177.6	0.333	
368	760903	150 x 25 SHIPLAP CTL	H3	2.1	Shiplap Paling	294.0	1.103	
369	760902	50 x 50 RS CTL	H3	1.140	Fence Battens	90.1	0.225	
370	760900	200 x 25 RS CTL	H3	1.5		150.0	0.750	
371	760898	150 x 25 SHIPLAP CTL	H3	2.1	Shiplap Paling / Wall Lining	294.0	1.103	
372	760899	100 x 100 RS CTL	H4	3.0	Fence Posts	51.0	0.510	
373	760914	150 x 19 D/E CTL	H3	1.5	Palings Dog Ears	294.0	0.838	
374	760913	100 x 100 MG	H4	RDL	Posts	130.0	1.300	
375	C14724	150 x 19 D/E CTL	H3	1.2	Palings Dog Ears	235.2	0.670	
376	760912	150 x 19 D/E CTL	H3	1.5	Palings Dog Ears	294.0	0.838	
377	734012	100 x 100 MG CTL	H4	2.4	Fence Posts	72.0	0.720	
378	710672	150 x 25 RS CTL	H3	1.0	Palings	140.0	0.525	
379	760911	150 x 19 RS CTL	H3	1.5	Palings	294.0	0.838	
380	760909	50 x 19 RS CTL	H3	1.8		846.0	0.804	
381	760908	150 x 10 RS	H3	2.4	Paling / Cladding	184.8	0.277	
382	760915	50 x 40 RS CTL	H3	1.140	Fence Battens	526.7	1.053	
383	760935	Mixed Size	H3	RDL		414.2	0.912	
384	760934	Mixed Size	H3	RDL		259.2	0.720	
385	760933	Mixed Size	H3	RDL		110.2	0.570	
386	760920	Mixed Size	H3	RDL		75.6	0.199	
387	760919	Mixed Size H3/H4	H3/H4 mix	RDL		247.8	1.050	
388	760918	Mixed Size H3/H4	H3/H4 mix	RDL		277.2	1.760	
389	760917	Mixed Size H3/H4	H3/H4 mix	RDL		220.8	0.754	
390	760916	Mixed Size H3/H4	H3/H4 mix	RDL		202.4	1.100	
391	710699	Mixed Size H3/H4	H3/H4 mix	RDL		174.2	0.717	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
392	760921	Mixed Size H3/H4	H3/H4 mix	RDL		289.1	0.916	
393	760927	Mixed Size H3/H4	H3/H4 mix	RDL		250.0	1.000	
394	760926	Mixed Size H3/H4	H3/H4 mix	RDL		312.0	1.687	
395	760923	Mixed Size H3/H4	H3/H4 mix	RDL		99.9	0.264	
396	760944	Mixed Size H3/H4	H3/H4 mix	RDL		151.7	0.333	
397	760943	Mixed Size H3/H4	H3/H4 mix	RDL		84.6	0.352	
398	760924	Mixed Size H3/H4	H3/H4 mix	RDL		145.7	0.655	
399	760946	Mixed Size H3/H4	H3/H4 mix	RDL		107.0	0.742	
400	760925	Mixed Size H3/H4	H3/H4 mix	RDL		190.8	0.874	
401	760930	Mixed Size	H3	RDL		344.4	1.016	
402	760929	Mixed Size	H3	RDL		218.4	1.115	
403	760932	Mixed Size	H3	RDL		379.4	1.292	
404	760931	Mixed Size	H3	RDL		319.6	1.344	
405	760936	Mixed Size	H3	RDL		215.6	1.178	

Fence Battens - Multi Lots - Sold Per Piece by Full Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Lot	GrM3 Per Pkt	Sell
406	6 Pkts	50 x 40 RS CTL	H3	1.140	Fence Battens	462	1.053	