



Monster Timber & Roundwood Auction

Auctioneer : Mr Roger Lowe

OHINEWAI

**On Site : Max Birt Sawmills
Lumsden Road, Ohinewai**

(Take Ohinewai off ramp on SH1 5 kilometres north of Huntly, Lumsden Road runs parallel with SH1 on Eastern side of railway line)

10.00am start: Saturday 22nd March 2025

Viewing from: 9.00am Monday 10th March 2025

Registration from: 8.00am Saturday 22nd March 2025

This Auction is GST EXCLUSIVE

(GST of 15% will be added to bid price at time of settlement)

Terms of Payment:

Cash, Eftpos, and all major Credit Cards.

Full payment to be made by 5.00pm on day of sale (Saturday 22nd March 2025).

Conditions of sale:

All product MUST be removed from Max Birt Sawmills yard by Friday 2nd May, otherwise goods will be sold to defray expenses. (A freighter will be on site on the day for your freight requirements).

No loading of any product will be permitted before the auction has been completed.

No goods will be released without an MBS inv paid in full being presented at time of load out.

Freight by own arrangement.

Registration constitutes acceptance of conditions of sale.

Disclaimer:

MBS has made every effort to ensure correct tallies and product description has been made available prior to sale, however it is the purchaser's responsibility to ensure they are satisfied with items being purchased at the fall of the hammer. All persons must make themselves aware of all hazards on site on the day!

NZ's largest manufacturer of

H3 & H4 Sawn & Gauged Posts, Rails, Palings & Decking

and suppliers of

Pickets, Framing, Roundwood, Poles & Piles.

155 S/H 2 Pokeno , Waikato. Phone (09) 294 7800 , Email : shannon@maxbirt.co.nz

Mobile : Shannon 0272 903 342 or Steve 0274 783 839



Ohinewai Auction March 2025

Single Pkt Lots - Sold per lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
1	MBO235910	150 x 50 RS SL	H4	4.8	Retaining / Flooring	177.6	1.332	
2	MBSO833549	100 x 50 RS SL	H3	4.8	Rails / Framing	336.0	1.680	
3	MBO236190	150 x 50 RS SL	H4	6.0	Retainer / Rail / Joist	246.0	1.845	
4	MBO508159	100 x 50 RS SL	H3	6.0	Framing / Fence Rail	180.0	0.900	
5	MBO229889	150 x 50 RS SL	H3	6.0	Rails / Joists	132.0	0.990	
6	MBO234356	75 x 50 MG SL	H4	5.4	SG8 Verified Framing	199.8	0.749	
7	MBSO835489	100 x 40 SM	H3	RDL	Smooth Decking Premium	207.0	0.828	
8	MBO234355	75 x 50 MG SL	H4	6.0	SG8 Verified Framing	282.0	1.058	
9	MBO212289	100 x 25 GTD SL	H3	6.0	GripTread Decking Premium	210.0	0.525	
10	MBO198074	200 x 50 MG SL	H3	6.0	SG10 Verfied Framing	54.0	0.540	
11	MBO190076	100 x 40 GTD SL	H3	6.0		480.0	1.920	
12	MBO232856	100 x 100 MG SL	H5	6.0	SG8 Premium	120.0	1.200	
13	MBS100298	100 x 100 MG SL	H4	4.8	Carport / Verandah Posts	67.2	0.672	
14	MBO188636	150 x 50 RS SL	H5	5.4	SG8 Verfied Framing	64.8	0.486	
15	MBO207516	150 x 50 MG SL	H3	5.4	SG10 Verified Framing	140.4	1.053	
16	MBO234910	150 x 50 TG&V SL	H4	5.4	Retainer / Heavy Floor	226.8	1.701	
17	MBO227182	100 x 25 GTD SL	H3	5.4	GripTread Decking Premium	270.0	0.675	
18	MBO209229	150 x 25 RS SL	H4	5.4	In Ground / Fence	329.4	1.235	
19	MBO233130	300 x 50 MG SL	H4	4.8	Joists / Rafters	86.4	1.296	
20	MBO203592	100 x 75 MG SL	H4	4.8		96.0	0.720	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
21	MBO227922	200 x 50 MG SL	H3	4.8		72.0	0.720	
22	MBO234941	150 x 40 SBS SL	H3	4.8	Smooth Premium Decking	268.8	1.613	
23	MBO234911	150 x 50 TG&V SL	H4	4.8		100.8	0.756	
24	MBSO836485	250 x 50 RS SL	H4	5.4		54.0	0.675	
25	MBO213688	150 x 40 SLP SL	H3	4.8	Shiplap Premium	76.8	0.461	
26	RMBO228200	100 x 50 MG SL	H4	4.8	SG10 Verfied Framing	62.4	0.312	
27	MBO212302	100 x 25 GTD SL	H3	4.8	Premium Decking	369.6	0.924	
28	MBO234890	200 x 50 TG&V SL	H4	4.8	Retaining	120.0	1.200	
29	MBO196245	300 x 50 RS SL	H4	4.8	Retainer / Rafter / Joist	81.6	1.224	
30	MBO213723	100 x 75 MG SL	H5	4.8	SG8 Premium	120.0	0.900	
31	MBO232899	100 x 25 Smooth Rail SL	H3	4.2	Smooth Rail Premium	546.0	1.365	
32	MBO228741	300 x 50 MG SL	H3	4.8		43.2	0.648	
33	MBO180434	100 x 25 SM SL	H3	4.8	Smooth Decking	278.4	0.696	
34	MBO230205	100 x 50 MG SL	H3	4.8		288.0	1.440	
35	MBO233892	300 x 50 MG SL	H3	4.8		72.0	1.080	
36	MBO212887	100 x 25 GTD SL	H3	3.6	GripTread Decking Premium	432.0	1.080	
37	MBSO833830	100 x 100 RS SL	H4	5.4		97.2	0.972	
38	MBSO833821	100 x 50 MG	H4	RDL	Framing / In Ground	168.6	0.843	
39	MBS100101	100 x 100 MG SL	H4	5.4		162.0	1.620	
40	MBO233874	100 x 50 MG	H4	RDL	Framing / In Ground	234.6	1.173	
41	MBO221567	200 x 50 MG SL	H4	4.8		24.0	0.240	
42	MBO228083	150 x 50 MG	H4	RDL		210.6	1.580	
43	MBO231924	150 x 40 MG SL	H4	5.4	Rail / Top Plate	334.8	2.009	
44	MBO506555	150 x 40 RS SL	H4	5.4	Retaining	410.4	2.462	
45	MBO233840	100 x 50 MG	H4	RDL	Framing / In Ground	258.0	1.290	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
46	MBO233293	200 x 50 MG SL	H4	5.4		124.2	1.242	
47	MBSO833842	150 x 50 MG SL	H4	6.0		126.0	0.945	
48	MBO233173	75 x 50 MG	H4	RDL		204.2	0.766	
49	MBO233143	100 x 50 MG SL	H4	6.0		168.0	0.840	
50	MBSO817508	250 x 25 RS SL	H4	6.0	Cladding	132.0	0.825	

Multi Pkt Lots - Sold Per Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
51	6 Pkts	150 x 50 MG SL	H3	6.0	Joist / Rails	210.0	1.575	
52	6 Pkts	100 x 25 RS SL	H3	6.0	Fence Rails / Baseboards	600.0	1.500	
53	6 Pkts	300 x 25 D4S SL	H3	6.0	Weatherboard / Cladding / Shelving	180.0	1.350	
54	6 Pkts	100 x 25 GTD SL	H3	5.4		540.0	1.350	
55	6 Pkts	150 x 40 RS SL	H4	5.4	Retaining / Rails	226.8	1.361	
56	6 Pkts	150 x 50 RS SL	H4	5.4	SG6 Verified Framing	189.0	1.418	
57	6 Pkts	300 x 50 RS SL	H4	4.8	Retainer / Rafter / Joist	72.0	1.080	
58	6 Pkts	100 x 50 MG SL	H3	4.8		240.0	1.200	
59	6 Pkts	200 x 25 RS SL	H4	4.8	Cladding / In Ground	240.0	1.200	
60	6 Pkts	150 x 50 TG&V SL	H4	6.0		252.0	1.890	
61	6 Pkts	100 x 100 MG SL	H4	6.0		180.0	1.800	
62	6 Pkts	300 x 40 D4S SL	H3	6.0	Fascia / Shelving	120.0	1.440	
63	4 Pkts	150 x 40 SM SL	H3	5.4	Smooth Premium Decking	302.4	1.814	
64	4 Pkts	250 x 50 RS SL	H4	5.4		108.0	1.350	
65	6 Pkts	200 x 50 MG SL	H3	5.4	SG6 Verified Framing	135.0	1.350	
66	6 Pkts	150 x 50 MG SL	H3	4.2	SG8 Verified Framing	147.0	1.103	
67	6 Pkts	150 x 25 D4S SL	H3	4.2	Cladding / Shelving	294.0	1.103	
68	6 Pkts	200 x 50 TG&V SL	H4	4.2		126.0	1.260	
69	6 Pkts	100 x 75 MG SL	H4	6.0	Post / Bearer	180.0	1.350	
70	6 Pkts	75 x 50 MG SL	H3	6.0		390.0	1.463	
71	6 Pkts	75 x 25 RS SL	H3	6.0	Baseboards / Fencing	780.0	1.463	
72	4 Pkts	250 x 25 D4S SL	H3	5.4	Cladding	216.0	1.350	
73	6 Pkts	100 x 50 RS SL	H3	5.4		270.0	1.350	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
74	4 Pkts	250 x 50 MG SL	H3	5.4		108.0	1.350	
75	4 Pkts	150 x 25 RS SL	H4	4.2		294.0	1.103	
76	6 Pkts	150 x 50 TG&V SL	H4	4.2		176.4	1.323	
77	6 Pkts	100 x 25 SM SL	H3	4.2	Smooth Decking	420.0	1.050	
78	4 Pkts	150 x 40 RS SL	H4	4.8	Retaining / Rails	201.6	1.210	
79	6 Pkts	200 x 50 RS SL	H4	4.8		120.0	1.200	
80	4 Pkts	150 x 50 MG SL	H4	4.8		168.0	1.260	
81	6 Pkts	200 x 50 MG SL	H4	4.8	Retainer / Joists	120.0	1.200	
82	6 Pkts	100 x 25 D4S SL	H3	4.8		480.0	1.200	
83	6 Pkts	100 x 75 MG SL	H4	4.8		144.0	1.080	
84	6 Pkts	50 x 50 MG SL	H3	4.2	No1+	420.0	1.050	
85	6 Pkts	250 x 50 RS SL	H4	4.2	SG6 Verified Framing	84.0	1.050	
86	6 Pkts	100 x 50 MG SL	H4	4.2		210.0	1.050	
87	6 Pkts	300 x 50 MG SL	H4	6.0		90.0	1.350	
88	6 Pkts	250 x 25 RS SL	H4	6.0	Cladding	240.0	1.500	
89	6 Pkts	200 x 25 D4S SL	H3	6.0		300.0	1.500	
90	4 Pkts	100 x 100 MG SL	H4	3.6	Verandah Posts	108.0	1.080	
91	6 Pkts	100 x 40 GTD SL	H3	3.6	Premium Decking	288.0	1.152	
92	4 Pkts	200 x 50 TG&V SL	H4	3.6		108.0	1.080	
93	6 Pkts	300 x 50 RS SL	H4	6.0	SG6 Verified Framing	90.0	1.350	
94	6 Pkts	100 x 50 MG SL	H4	6.0		300.0	1.500	
95	6 Pkts	100 x 25 RS SL	H3	4.8	Fence Rails / Baseboards	480.0	1.200	
96	6 Pkts	250 x 50 MG SL	H4	6.0		120.0	1.500	
97	4 Pkts	150 x 25 D4S SL	H3	5.4	Base Board / Fence / Fascia	378.0	1.418	
98	6 Pkts	75 x 50 MG SL	H4	5.4		351.0	1.316	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
99	6 Pkts	150 x 50 MG SL	H3	5.4		189.0	1.418	
100	6 Pkts	300 x 50 MG SL	H4	5.4		81.0	1.215	
101	6 Pkts	150 x 40 RS SL	H3	6.0	Post & Rail Fencing	252.0	1.512	
102	6 Pkts	100 x 25 GTD SL	H3	6.0		600.0	1.500	
103	6 Pkts	250 x 25 D4S SL	H3	6.0	Shelving / Cladding	240.0	1.500	
104	6 Pkts	150 x 50 RS SL	H4	6.0	Retainer / Rail / Joist	210.0	1.575	
105	4 Pkts	200 x 50 RS SL	H4	4.2		105.0	1.050	
106	6 Pkts	150 x 40 RS SL	H4	4.2	Retaining / Fence Rails	176.4	1.058	
107	5 Pkts	250 x 50 MG SL	H4	4.2		84.0	1.050	
108	6 Pkts	200 x 50 MG SL	H4	4.2		105.0	1.050	
109	6 Pkts	150 x 25 RS SL	H3	6.0	Fencing	420.0	1.575	
110	6 Pkts	200 x 50 MG SL	H4	6.0		150.0	1.500	
111	6 Pkts	200 x 25 RS SL	H4	6.0		300.0	1.500	
112	6 Pkts	300 x 25 RS SL	H4	6.0	Cladding	180.0	1.350	
113	6 Pkts	100 x 50 RS SL	H3	4.8	Rails / Framing	240.0	1.200	
114	6 Pkts	250 x 50 RS SL	H4	4.8		96.0	1.200	
115	6 Pkts	200 x 50 TG&V SL	H4	4.8		144.0	1.440	
116	6 Pkts	100 x 100 MG SL	H4	4.8	Carport / Verandah Posts	144.0	1.440	
117	6 Pkts	150 x 50 TG&V SL	H4	5.4	Retainer / Heavy Floor	226.8	1.701	
118	5 Pkts	75 x 25 RS SL	H3	5.4		702.0	1.316	
119	6 Pkts	200 x 50 RS SL	H4	5.4	Retaining / Joists	135.0	1.350	
120	4 Pkts	100 x 25 RS SL	H3	5.4		540.0	1.350	
121	6 Pkts	100 x 25 GTD SL	H3	4.8	Premium Decking	480.0	1.200	
122	6 Pkts	250 x 50 MG SL	H4	4.8		96.0	1.200	
123	6 Pkts	75 x 50 MG SL	H4	4.8		312.0	1.170	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
124	6 Pkts	300 x 50 MG SL	H4	4.8	Joists / Rafters	72.0	1.080	
125	3 Pkts	100 x 75 MG SL	H4	4.2		126.0	0.945	
126	4 Pkts	150 x 50 RS SL	H4	4.2	Joists / Rails / In Ground	147.0	1.103	
127	4 Pkts	75 x 50 RS SL	H3	4.8	Fence Rails	312.0	1.170	
128	6 Pkts	200 x 50 TG&V SL	H4	5.4		162.0	1.620	
129	6 Pkts	100 x 40 GTD CTL	H3	3.0	GripTread Premium Decking	240.0	0.960	
130	6 Pkts	150 x 40 GTD SL	H3	3.6	Premium Decking	201.6	1.210	
131	6 Pkts	100 x 50 MG SL	H4	3.6		180.0	0.900	
132	4 Pkts	250 x 50 RS SL	H4	3.6	SG6 Verified Framing	72.0	0.900	
133	3 Pkts	200 x 100 RS CTL	H4	2.0	Landscaping	30.0	0.600	
134	2 Pkts	150 x 19 RS CTL	H3	2.0	Paling	392.0	1.117	
135	4 Pkts	100 x 100 RS CTL	H4	2.4	Fence Post	72.0	0.720	
136	6 Pkts	150 x 40 SM CTL	H3	3.0	Premium Smooth Decking	168.0	1.008	
137	2 Pkts	50 x 50 MG CTL	H3	1.2	Battens / Balustrades	240.0	0.600	

Plywood - Multi Pkt Lots - Sold Per Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Pkt	GrM3 Per Pkt	Sell
138	3 Pkts	2400 x 1200 x 19mm Pallet Ply	H3	2.4	Pallet Ply	7	0.383	
139	3 Pkts	2400 x 1200 x 17mm Ecoply	H3	2.4	Structural	8	0.392	
140	3 Pkts	2400 x 1200 x 12mm Handiply	H3	2.4	Non Structural	10	0.346	

Single Pkt Lots - Sold per lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
141	RMBSO833854	125 x 125 D4S	H4	4.8		76.8	1.200	
142	RMBSO833818	250 x 75 D4S SL	H4	4.8		28.8	0.540	
143	RMBO124229	150 x 100 D4S SL	H4	4.8		33.6	0.504	
144	RMBO124228	250 x 75 D4S SL	H4	4.8		19.2	0.360	
145	RMBO124227	250 x 100 D4S SL	H4	4.8		33.6	0.840	
146	RMBO111804	250 x 75 D4S SL	H4	4.8		19.2	0.360	
147	RMBSO833847	150 x 150 D4S	H4	RDL		20.4	0.459	
148	RMBO176262	150 x 100 RS SL	H4	4.8		19.2	0.288	
149	RMBO111827	150 x 75 MG SL	H4	4.8	Bridging / Bearers	24.0	0.270	
150	RMBO176259	150 x 100 RS SL	H4	4.8		24.0	0.360	
151	RMBO176263	150 x 100 RS SL	H4	4.8	Bridge Decking / Skids	48.0	0.720	
152	R801658	150 x 75 MG SL	H4	4.8	Bridging / Bearers	57.6	0.648	
153	R801643	200 x 100 MG SL	H4	4.8		24.0	0.480	
154	RMBO176260	150 x 100 RS SL	H4	4.8		28.8	0.432	
155	MBO232536	100 x 25 SM CTL	H3	3.0	Premium Decking	300.0	0.750	
156	MBO233419	100 x 25 GTD SL	H3	4.2	Premium Decking	126.0	0.315	
157	MBO231378	50 x 50 MG SL	H3	4.2		205.8	0.515	
158	MBO228612	100 x 25 Smooth Rail SL	H3	4.2	Smooth Rail Premium	415.8	1.040	
159	MBO234502	50 x 50 MG SL	H3	4.2		336.0	0.840	
160	MBO228614	100 x 25 SM SL	H3	4.8	Smooth Rail	288.0	0.720	
161	MBO234365	100 x 50 MG SL	H3	4.8		96.0	0.480	
162	MBO231004	100 x 75 MG SL	H4	6.0	Post / Bearer	66.0	0.495	
163	MBO222968	100 x 100 MG SL	H5	6.0	SG8 Premium	36.0	0.360	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
164	MBO234882	200 x 50 TG&V SL	H4	6.0	Retaining / Flooring	198.0	1.980	
165	MBSO834268	150 x 25 RS SL	H3	6.0	Fencing	330.0	1.238	
166	MBO508475	200 x 50 RS SL	H4	6.0	Yard Rails / Retainer	180.0	1.800	
167	MBO508808	150 x 40 RS SL	H3	6.0	Post & Rail Fencing	252.0	1.512	
168	RMB0119578	300 x 50 MG SL	H4	4.2		21.0	0.315	
169	MBO232515	100 x 25 SM SL	H3	4.2	Premium Decking	126.0	0.315	
170	MBO233530	100 x 50 MG SL	H4	4.2		252.0	1.260	
171	MBO233316	200 x 50 MG SL	H4	4.2		126.0	1.260	
172	MBO231487	150 x 50 MG SL	H4	4.2		260.4	1.953	
173	MBO201024	250 x 25 D4S SL	H3	4.8	Cladding / Shelving	72.0	0.450	
174	MBO181112	300 x 25 D4S SL	H3	5.4	Shelving / Cladding	48.6	0.365	
175	MBO230121	50 x 50 MG SL	H3	5.4		248.4	0.621	
176	MBO223715	300 x 50 MG SL	H3	5.4	Rafters / Joists	32.4	0.486	
177	MBO207643	75 x 50 MG SL	H3	5.4	Framing / Purlins	264.6	0.992	
178	MBO233423	100 x 25 GTD SL	H3	5.4		378.0	0.945	
179	MBO177071	200 x 50 MG SL	H4	5.4	SG8 Verfied Framing	221.4	2.214	
180	MBO231002	100 x 75 MG SL	H5	3.6	SG8 Verified Framing	108.0	0.810	
181	MBO203151	250 x 50 MG SL	H3	3.6	SG10 Verfied Framing	57.6	0.720	
182	MBO230743	200 x 50 TG&V SL	H4	4.2		63.0	0.630	
183	MBO234943	150 x 40 SBS SL	H3	4.2	Premium Smooth Decking	58.8	0.353	
184	MBO215674	100 x 25 GTD SL	H3	4.2	Premium Decking	210.0	0.525	
185	MBO232206	200 x 50 TG&V SL	H4	4.2		63.0	0.630	
186	MBO508074	150 x 50 RS SL	H4	4.2		197.4	1.481	
187	MBSO834375	50 x 25 D2F SL	H3	4.8		782.4	0.978	
188	MBSO834733	75 x 50 RS SL	H3	4.8	Fence Rails	120.0	0.450	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
189	MBO230575A	100 x 40 SM SL	H3	4.8	Smooth Decking / Framing	528.0	2.112	
190	MBSO834378	100 x 50 RS SL	H3	4.8		240.0	1.200	
191	MBO113623	150 x 50 RS SL	H4	4.8		134.4	1.008	
192	MBSO833827	150 x 50 MG SL	H4	4.8		48.0	0.360	
193	MBS100297	100 x 100 MG SL	H4	5.4		75.6	0.756	
194	MBO227349	100 x 50 MG SL	H4	5.4		140.4	0.702	
195	MBO222508	100 x 50 MG SL	H3	5.4		199.8	0.999	
196	MBO231539	150 x 50 MG	H4	RDL		82.8	0.621	
197	MBO234889	200 x 50 TG&V SL	H4	6.0	Retaining / Flooring	120.0	1.200	
198	MBSO833819	200 x 50 RGH SL	H4	6.0	Retaining / Joists	108.0	1.080	
199	MBO229131	100 x 25 SM CTL	H3	3.0		120.0	0.300	
200	MBO228620	100 x 25 Smooth Rail CTL	H3	2.4	Premium	48.0	0.120	
201	MBO176533	50 x 40 MG CTL	H3	3.0	Premium	600.0	1.200	
202	MBO234320	150 x 50 MG SL	H4	3.6		90.0	0.675	
203	MBSO833748	150 x 50 MG SL	H4	3.6		223.2	1.674	
204	MBO226519	100 x 40 GTD SL	H3	5.4	Griptread Decking Premium	54.0	0.216	
205	MBO210407	150 x 40 SLP SL	H3	5.4		113.4	0.680	
206	MBO228460	100 x 100 MG SL	H5	5.4	Premium SG8	108.0	1.080	
207	MBO177627A	200 x 50 TG&V SL	H4	5.4	Retaining	108.0	1.080	
208	MBO221607	125 x 50 MG	H4	RDL		117.0	0.731	
209	MBO235188	100 x 50 MG	H4	RDL	Framing / In Ground	471.6	2.358	
210	MBO194469	75 x 50 RS SL	H3	4.8	Fence Rails	72.0	0.270	
211	MBO231001	100 x 75 MG SL	H5	4.2	SG8 Verfied Framing	126.0	0.945	
212	MBO194460	75 x 50 RS SL	H3	4.8	Fence Rails	124.8	0.468	
213	MBO228342	200 x 50 MG	H3	RDL		69.0	0.690	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
214	MBO234312	150 x 50 MG SL	H4	4.8		134.4	1.008	
215	MBSO825900	150 x 25 RS SL	H4	4.8	Rails / Cladding / In Ground	240.0	0.900	
216	MBO191602	150 x 40 RS SL	H3	4.8	Premium	134.4	0.806	
217	R828014	100 x 50 MG SL	H4	3.6		79.2	0.396	
218	MBO225399	150 x 50 PRO1/2R SL	H4	4.2		214.2	1.607	
219	MBO194458	75 x 50 RS SL	H3	4.8	Fence Rails	124.8	0.468	
220	MBSO834379	100 x 50 RS SL	H3	4.8		240.0	1.200	
221	MBO180667	100 x 75 RS SL	H4	4.8		177.6	1.332	
222	RMBO162472	300 x 50 MG SL	H4	4.2		16.8	0.252	
223	MBO226844	150 x 50 MG	H4	RDL		216.6	1.625	
224	MBO221581	200 x 50 MG	H4	RDL		186.0	1.860	
225	MBO234826	150 x 40 MG SL	H4	5.4	Rail / Top Plate	378.0	2.268	
226	MBO233425	100 x 25 GTD SL	H3	3.6	Decking	252.0	0.630	
227	MBO220810	50 x 50 MG SL	H3	4.2		67.2	0.168	
228	MBO228615	100 x 25 SM SL	H3	4.2	Smooth Rail	336.0	0.840	
229	MBO193540	250 x 25 D4S SL	H3	4.2		50.4	0.315	
230	MBO231179	250 x 25 D4S SL	H3	4.8	Cladding / Shelving	76.8	0.480	
231	MBO231123	100 x 25 SM SL	H3	4.8	Decking / Baseboards	182.4	0.456	
232	MBO234589	250 x 25 D4S SL	H3	5.4	Cladding	64.8	0.405	
233	MBO235209	75 x 50 MG SL	H4	5.4		491.4	1.843	
234	RMBO154800	300 x 50 MG SL	H4	4.8		19.2	0.288	
235	RMBO214265	200 x 50 MG SL	H4	5.4	SG10 Verfied Framing	32.4	0.324	
236	R446201	150 x 50 MG SL	H4	6.0		60.0	0.450	
237	MBSO833740	150 x 50 TG SL	H4	6.0	SG8 Verfied Framing	54.0	0.405	
238	MBO233163	75 x 50 MG	H4	RDL		381.0	1.429	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
239	MBSO833739	150 x 50 TG SL	H4	6.0	SG8 Verfied Framing	66.0	0.495	
240	MBO224946	150 x 40 RS SL	H3	6.0	Post & Rail Fencing	252.0	1.512	
241	MBO215534	100 x 25 SM SL	H3	3.6	Smooth Premium Decking	180.0	0.450	
242	MBSO833812	200 x 50 TG&V SL	H4	3.6		90.0	0.900	
243	MBO228613	100 x 25 Smooth Rail SL	H3	3.6	Premium Smooth Rail	468.0	1.170	
244	MBO229722	150 x 50 MG SL	H4	3.6		97.2	0.729	
245	MBO146679	100 x 50 RS SL	H4	3.6	In Ground / Framing	252.0	1.260	
246	MBO191808	150 x 50 PRO1/2R SL	H4	3.6		39.6	0.297	
247	MBO199182	100 x 100 MG CTL	H4	3.0	Posts	60.0	0.600	
248	MBO231518	100 x 40 GTD SL	H3	3.6		64.8	0.259	
249	MBO233145	100 x 50 MG	H4	RDL	Framing / In Ground	58.6	0.293	
250	MBO233709	150 x 50 MG	H4	RDL		64.2	0.482	
251	MBO224561	75 x 25 WG SL	H3	4.8	Weather Groove	288.0	0.540	
252	R801645	150 x 100 MG SL	H4	4.8		33.6	0.504	
253	MBP116333	100 x 50 MG	H3	RDL	SG8 Verified Framing	439.8	2.199	
254	MBO194468	75 x 50 RS SL	H3	4.8	Fence Rails	72.0	0.270	
255	MBSO762430	100 x 75 RS SL	H4	5.4		135.0	1.013	
256	MBO207557	150 x 50 PRO1/2R	H4	RDL		86.4	0.648	
257	MBO177458	100 x 100 MG SL	H4	4.8	Carport / Verandah Posts	129.6	1.296	
258	MBO224277	50 x 50 MG	H4	RDL	Battens / Framing / Stakes	348.0	0.870	
259	MBO233426	100 x 25 GTD SL	H3	5.4	Decking/Baseboard	648.0	1.620	
260	MBO221157	100 x 25 GTD SL	H3	4.8	Decking	43.2	0.108	
261	MBO233133	150 x 50 MG SL	H3	4.8		28.8	0.216	
262	MBO508002	150 x 50 RS SL	H4	4.8	SG8 Verfied Framing	28.8	0.216	
263	R801642	200 x 100 MG SL	H4	5.4		10.8	0.216	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
264	R801648	250 x 75 MG SL	H4	4.8		9.6	0.180	
265	MBO228115	100 x 40 GTD SL	H3	4.8		43.2	0.173	
266	RMBO175027	300 x 50 RS SL	H4	4.8	Retainer / Rafter / Joist	43.2	0.648	
267	MBO234569	300 x 25 D4S SL	H3	5.4	Shelving / Cladding	81.0	0.608	
268	MBO182762	150 x 50 PRO1/2R SL	H4	5.4	Rails / Retaining	280.8	2.106	
269	MBSO834369	100 x 50 MG	H4	RDL	Studs / In Ground	49.0	0.245	
270	MBO234274	100 x 50 MG SL	H4	3.6		115.2	0.576	
271	MBO234229	150 x 50 MG	H4	RDL		55.8	0.419	
272	MBO233983	75 x 50 MG SL	H4	4.2		184.8	0.693	
273	MBO173382	100 x 25 Smooth Rail SL	H3	4.2	Smooth Rail	84.0	0.210	
274	MBO234861	150 x 40 MG	H4	RDL		307.8	1.847	
275	MBSO833523	100 x 40 SM	H3	RDL	Smooth Decking	315.6	1.262	
276	R729064	50 x 40 MG	H4	RDL	Stakes / Battens	811.2	1.622	
277	MBO233630	75 x 50 MG SL	H4	4.2	Framing / In Ground	163.8	0.614	
278	MBSO834370	150 x 50 MG SL	H4	4.2	SG8 Verfied Framing	176.4	1.323	
279	MBO232849	100 x 50 MG	H4	RDL	Framing / In Ground	72.0	0.360	
280	MBO232900	100 x 25 Smooth Rail SL	H3	3.6	Premium Smooth Rail	72.0	0.180	
281	MBO192986	75 x 50 MG SL	H4	4.2	Framing / In Ground	327.6	1.229	
282	MBO231843	75 x 50 MG SL	H3	4.2		163.8	0.614	
283	MBO193044	100 x 25 SM SL	H3	4.2	Smooth Premium Decking	126.0	0.315	
284	MBO202485	100 x 50 MG SL	H4	4.2		378.0	1.890	
285	MBO168424	150 x 25 D4S SL	H3	4.2	Cladding / Shelving	294.0	1.103	
286	MBO176373	100 x 75 MG SL	H5	4.2	SG8 Verfied Framing	96.6	0.725	
287	MBO228726	300 x 50 MG SL	H3	4.2	SG8 Verfied Framing	54.6	0.819	
288	MBO167121	100 x 25 Rusticated SM	H3	RDL	Smooth Rusticated Premium Decking	525.6	1.314	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
289	MBO172951B	75 x 50 MG SL	H3	4.8	SG8 Verified Framing	177.6	0.666	
290	MBO223336	50 x 50 MG	H4	RDL	Battens / Framing / Stakes	607.2	1.518	
291	MBO173314	100 x 25 SM SL	H3	4.2	Smooth Rail	126.0	0.315	
292	MBO228038	250 x 50 MG SL	H4	3.6		57.6	0.720	
293	MBO231926	150 x 40 MG	H4	RDL		189.6	1.138	
294	MBO203269	125 x 50 MG	H3	RDL	Joist / Rail	186.6	1.166	
295	R589228	150 x 50 MG	H4	RDL		16.2	0.122	
296	MBO221433	100 x 50 MG SL	H3	5.4		16.2	0.081	
297	MBO193310	100 x 50 RS SL	H4	5.4		16.2	0.081	
298	MBO209964	100 x 50 MG SL	H4	5.4		10.8	0.054	
299	MBO192462A	100 x 25 RS SL	H3	6.0	Fence Rails / Baseboards	24.0	0.060	
300	MBSO818943	150 x 12 RS SL	H3	5.4		280.8	0.505	
301	MBSO833834	200 x 50 MG SL	H4	5.4		59.4	0.594	
302	MBO213689	150 x 40 SLP SL	H4	5.4		91.8	0.551	
303	MBO210958A	200 x 50 MG SL	H4	5.4		43.2	0.432	
304	MBO234311	150 x 50 MG SL	H4	5.4		97.2	0.729	
305	MBO229201	75 x 50 MG CTL	H4	3.0		117.0	0.439	
306	MBSO833832	100 x 100 MG SL	H4	3.6	Verandah Post / Carport	72.0	0.720	
307	MBO230307	100 x 50 MG SL	H4	3.6		180.0	0.900	
308	MBSO833817	200 x 50 TG&V SL	H4	3.6		43.2	0.432	
309	MBO202486	100 x 50 MG SL	H4	3.6		216.0	1.080	
310	MBSO833749	150 x 50 MG SL	H4	3.6		100.8	0.756	
311	MBO176534	50 x 40 MG CTL	H3	3.0	Premium	480.0	0.960	
312	MBO232850	100 x 50 MG	H4	RDL	Framing / In Ground	237.0	1.185	
313	MBSO796369	100 x 50 MG SL	H4	3.6		216.0	1.080	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
314	MBO168455	75 x 25 D4S SL	H3	4.2	Fence Pickets	546.0	1.024	
315	TBT0860	150 x 50 A4 SL	H4	6.0	Retaining	60.0	0.450	
316	MBSO823947	100 x 50 RS SL	H3	6.0	Framing / Fence Rail	96.0	0.480	
317	MBP123456	150 x 50 A4 SL	H4	6.0	Rails	102.0	0.765	
318	MBO194658C	100 x 25 D4S SL	H3	6.0	Baseboards / Fence	354.0	0.885	
319	MBO207554	150 x 50 PRO1/2R SL	H4	6.0	Fence Rails / Retaining	312.0	2.340	
320	MBSO822987	100 x 25 RS SL	H4	6.0	Garden Edging	78.0	0.195	
321	PP123457	250 x 25 RS SL	H3	6.0	Cladding	60.0	0.375	
322	MBO226493	150 x 25 D4S SL	H3	6.0		24.0	0.090	
323	MBO231177	250 x 25 D4S SL	H3	6.0	Shelving / Cladding	12.0	0.075	
324	MBO218340	150 x 25 D4S SL	H3	5.4	Base Board / Fence / Fascia	75.6	0.284	
325	MBO220158	300 x 50 MG SL	H3	5.4	Rafters / Joists	21.6	0.324	
326	MBO210691	300 x 25 D4S SL	H3	6.0	Weatherboard / Cladding / Shelving	18.0	0.135	
327	MBSO831126	75 x 50 MG SL	H4	6.0		192.0	0.720	
328	MBO172349	150 x 25 D4S SL	H3	4.8		86.4	0.324	
329	MBO205174A	200 x 50 RS SL	H4	4.8		14.4	0.144	
330	MBP118600	50 x 25 D4S SL	H3	4.2	Cavity Batten	714.0	0.893	
331	MBO193471	300 x 50 MG SL	H3	4.2		63.0	0.945	
332	PP123459	50 x 50 MG CTL	H3	1.8	Balustrades / Battens	36.0	0.090	
333	PP123460	50 x 50 MG CTL	H3	1.2	Battens / Balustrades	127.2	0.318	
334	PP123461	50 x 25 RS CTL	H3	1.8		72.0	0.090	
335	MBSO809120	150 x 25 RS CTL	H3	1.2		142.8	0.536	
336	MBSO831553	150 x 25 RS CTL	H3	1.8	Fence Paling	28.8	0.108	
337	841056	200 x 25 RS CTL	H3	0.740		14.8	0.074	
338	841051	200 x 25 RS	H3	RDL		14.1	0.070	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking. H No# =Hazard class(Level of treatment

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
339	MBSO790398	200 x 25 RS CTL	H3	0.740		29.6	0.148	
340	MBSO797386	150 x 25 D4S CTL	H3	1.5	Palings	192.0	0.720	
341	MBO229227	75 x 50 MG CTL	H4	1.8		43.2	0.162	
342	MBSO777495	100 x 100 RS CTL	H4	2.1	SG8	6.3	0.063	
343	MBSO730209	100 x 100 RS CTL	H4	1.5		15.0	0.150	
344	MBSO742459	50 x 50 MG CTL	H3	1.2		33.6	0.084	
345	PK784552	50 x 50 MG CTL	H3	1.0		60.0	0.150	
346	PP123462	50 x 40 MG CTL	H3	1.8	Balustrade / Batten	180.0	0.360	
347	MBO231124	100 x 25 SM	H3	RDL	Smooth Decking	35.0	0.088	
348	MBSO823416	100 x 100 RS CTL	H4	3.0		15.0	0.150	
349	MBO231800	100 x 100 MG	H4	RDL	Posts	39.4	0.394	
350	MBO231254	100 x 75 MG	H4	RDL	Post / Bearers	34.6	0.260	
351	843243	Mixed Size MG	H4	RDL		98.9	0.967	
352	843244	Mixed Size MG	H3H4	RDL		239.7	1.015	
353	843255	Mixed Size MG	H3H4	RDL		381.9	2.223	
354	843245	Mixed Size RS	H4	RDL		444.0	2.467	
355	843254	Mixed Size RS	H3	RDL		91.0	0.446	
356	843246	Mixed Size MG	H3H4	RDL		364.0	1.435	
357	843247	Mixed Size MG	H3H4	RDL		332.8	1.560	
358	843248	Mixed Size MG	H3	RDL		290.7	1.043	
359	843249	Mixed Size RS	H3	RDL		108.8	0.544	
360	843251	Mixed Size RS	H3	RDL		589.6	1.481	
361	843252	Mixed Size MG	H3	RDL		315.0	2.100	

Fence Battens - Multi Lots - Sold Per Piece By Full Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Pkt	GrM3 Per Pkt	Sell
362	4 Pkts	50 x 50 RS CTL	H3	1.140	Fence Battens	400	1.140	
363	4 Pkts	50 x 40 RS CTL	H3	1.140	Fence Battens	460	1.049	

Roundwood - MultiLots - Sold Per Piece by the Full Bundle

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Bdle	GrM3 Per Bdle	Sell
364	6 Bundles	200 - 224 (No1 Str) SED CTL	H4	3.0		20	2.405	
365	6 Bundles	200 - 224 (No1 Str) SED CTL	H4	2.7		20	2.140	
366	6 Bundles	200 - 224 (No1 Str) SED CTL	H4	2.4		20	1.875	
367	6 Bundles	175 - 199 (No2 Str) SED CTL	H4	3.6		25	2.925	
368	6 Bundles	175 - 199 (No2 Str) SED CTL	H4	3.0		25	2.381	
369	6 Bundles	175 - 199 (No2 Str) SED CTL	H4	2.7		25	2.113	
370	6 Bundles	175 - 199 (No2 Str) SED CTL	H4	2.4		25	1.844	
371	6 Bundles	150 - 174 (No3 Str) SED	H4	3.0		30	2.310	
372	6 Bundles	150 - 174 (No3 Str) SED	H4	2.7		30	2.079	
373	6 Bundles	150 - 174 (No3 Str) SED	H4	2.4		30	1.703	
374	6 Bundles	115 - 149 (No1 Post) SED CTL	H4	2.4		40	1.570	
375	6 Bundles	150 - 160 (No1 Prem Post) SED CTL	H4	1.8		40	1.436	
376	6 Bundles	115 - 149 (No1 Post) SED CTL	H4	1.8		50	1.313	
377	6 Bundles	90 - 114 (No2 Post) SED CTL	H4	1.8		65	1.154	
378	6 Bundles	150 - 174 (No1 Half Rnd) SED	H4	1.8		60	1.313	
379	6 Bundles	100 - 125 (No1 Qtr Rnd) SED CTL	H4	1.8		80	1.336	
380	6 Bundles	65 - 89 SED (No.3 Rnd Posts)	H4	1.8		100	1.040	