



Monster Timber & Roundwood Auction

Auctioneer : Mr Roger Lowe

OHINEWAI

On Site : Max Birt Sawmills
Lumsden Road, Ohinewai

(Take Ohinewai off ramp on SH1 5 kilometres north of Huntly, Lumsden Road runs parallel with SH1 on Eastern side of railway line)

10.00am start: Saturday 18th October 2025

Viewing from: 9.00am Monday 6th October 2025

Registration from: 8.00am Saturday 18th October 2025

This Auction is GST EXCLUSIVE

(GST of 15% will be added to bid price at time of settlement)

Terms of Payment:

Cash, Eftpos, and all major Credit Cards.

Full payment to be made by 5.00pm on day of sale (Saturday 18th October 2025).

Conditions of sale:

All product MUST be removed from Max Birt Sawmills yard by Friday 28th November, otherwise goods will be sold to defray expenses. (A freighter will be on site on the day for your freight requirements).

No loading of any product will be permitted before the auction has been completed.

No goods will be released without an MBS inv paid in full being presented at time of load out.

Freight by own arrangement.

Registration constitutes acceptance of conditions of sale.

Disclaimer:

MBS has made every effort to ensure correct tallies and product description has been made available prior to sale, however it is the purchaser's responsibility to ensure they are satisfied with items being purchased at the fall of the hammer. All persons must make themselves aware of all hazards on site on the day!

NZ's largest manufacturer of

H3 & H4 Sawn & Gauged Posts, Rails, Palings & Decking

and suppliers of

Pickets, Framing, Roundwood, Poles & Piles.

155 S/H 2 Pokeno , Waikato. Phone (09) 294 7800 , Email : shannon@maxbirt.co.nz

Mobile : Shannon 0272 903 342 or Steve 0274 783 839



Ohinewai Auction October 2025

Single Pkt Lots - Sold per Lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
1	MBSO813053	150 x 50 RS SL	H4	5.4	Joists / Rails / In Ground	248.4	1.863	
2	MBO235921B	150 x 50 RS SL	H3	6.0	Rails / Joists	180.0	1.350	
3	MBSO841035	100 x 50 RS SL	H3	6.0	Framing / Fence Rail	150.0	0.750	
4	MBO251957	150 x 50 RS SL	H4	6.0	SG8 Verified Framing	168.0	1.260	
5	MBSO847784	150 x 25 RS SL	H3	6.0	Fencing	294.0	1.103	
6	MBO242217	100 x 50 MG SL	H3	5.4	SG8+ Verified Framing	162.0	0.810	
7	MBO251627	150 x 50 MG	H4	RDL		147.0	1.103	
8	MBO247637	200 x 50 MG	H3	RDL		125.4	1.254	
9	MBO251185	100 x 40 SM SL	H3	5.4	Smooth Decking	162.0	0.648	
10	MBO234659	150 x 25 D4S SL	H3	5.4	Base Board / Fence / Fascia	415.8	1.559	
11	MBO241623	250 x 50 MG SL	H4	5.4		108.0	1.350	
12	MBO248157	100 x 75 MG	H4	RDL	Post / Bearers	115.5	0.866	
13	MBO249337	50 x 25 D4S CTL	H3	3.0		507.0	0.634	
14	MBO234575	100 x 40 GTD SL	H3	4.2	GripTread Decking	235.2	0.941	
15	MBO244079	150 x 50 MG	H3	RDL	Rails / Joists	62.4	0.468	
16	MBO244241	250 x 50 MG SL	H3	4.8	Stock Yard / Rafters	96.0	1.200	
17	MBO241078	200 x 50 MG	H3	RDL		76.8	0.768	
18	MBO237357	100 x 25 GTD SL	H3	5.4		270.0	0.675	
19	MBO242852	250 x 50 MG	H3	RDL	Joists / Stockyards	86.4	1.080	
20	MBO206428	150 x 40 BW SL	H3	5.4	Boardwalk Decking	151.2	0.907	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
21	MBO251626	150 x 50 MG SL	H3	5.4	Premium SG8 Verified Framing	113.4	0.851	
22	MBO253768	150 x 50 MG SL	H3	6.0	SG10 Verified Framing	84.0	0.630	
23	MBO222073	150 x 40 BW SL	H3	6.0	Premium Decking	84.0	0.504	
24	MBO242210	100 x 50 MG SL	H3	6.0	SG10 Verified Framing	114.0	0.570	
25	MBO251657	150 x 50 MG SL	H3	6.0	Premium SG8 Verified Framing	54.0	0.405	
26	MBO242202	100 x 50 MG SL	H3	6.0	SG12 Verified Framing	180.0	0.900	
27	MBSO798326	100 x 25 RS SL	H4	6.0	Garden Edging	480.0	1.200	
28	MBSO845342B	150 x 25 RS SL	H3	6.0	Fencing	240.0	0.900	
29	MBO249963	100 x 100 MG SL	H5	4.8	Verandah Post SG8	96.0	0.960	
30	MBO251114	100 x 40 GTD SL	H3	4.8		432.0	1.728	
31	MBO247300	100 x 75 MG SL	H5	5.4	Premium SG8	162.0	1.215	
32	MBO238190	100 x 25 GTD SL	H3	5.4		540.0	1.350	
33	MBO250399	200 x 50 TG&V SL	H4	5.4	Retaining	210.6	2.106	
34	MBO252632	300 x 50 MG SL	H4	4.2	SG8 Verified Framing	50.4	0.756	
35	MBO249619	100 x 40 GTD SL	H3	4.8		268.8	1.075	
36	MBSO836215	300 x 50 MG	H4	RDL	SG10 Verified Framing	49.5	0.743	
37	MBO217086	150 x 40 BW SL	H3	5.4	Boardwalk Decking	340.2	2.041	
38	MBO187221A	300 x 50 MG SL	H4	5.4	SG8 Verified Framing	113.4	1.701	
39	MBO252928	100 x 50 MG	H4	RDL	Studs / In Ground	115.8	0.579	
40	MBO199691	150 x 40 BW SL	H3	4.8		249.6	1.498	
41	MBO235839	300 x 50 MG	H4	RDL	Joists / Rafter / Retaining	63.6	0.954	
42	MBO246900	100 x 40 SM SL	H3	5.4	Smooth Decking	324.0	1.296	
43	MBO245150	100 x 75 MG SL	H4	5.4	Post / Bearers	102.6	0.770	
44	Y11178A	100 x 50 RS SL	H3	6.0	Framing / Fence Rail	480.0	2.400	
45	MBO206468	150 x 40 BW	H3	RDL	Premium Decking	150.9	0.905	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
46	MBO188166B	300 x 50 MG SL	H4	4.8	SG8 Verified Framing	57.6	0.864	
47	MBO247272	100 x 75 MG SL	H4	4.8		192.0	1.440	
48	MBO244652	100 x 25 GTD SL	H3	4.8	Premium Decking	192.0	0.480	
49	MBO252388	150 x 50 MG	H3	RDL	Rails / Joists	195.6	1.467	
50	MBO252373	200 x 50 MG	H3	RDL		203.4	2.034	
51	MBO228146	150 x 50 MG CTL	H3	3.0	SG8 Verified Framing	210.0	1.575	
52	RMBSO842555	200 x 50 RS SL	H4	4.8		144.0	1.440	
53	MBSO836216	300 x 50 MG	H4	RDL	SG10 Verified Framing	73.2	1.098	
54	MBSO835619	150 x 50 MG SL	H4	6.0		162.0	1.215	
55	MBO250825	100 x 50 MG SL	H3	6.0	SG10 Verified Framing	180.0	0.900	

Multi Pkt Lots - Sold Per Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
56	6 Pkts	150 x 50 MG SL	H3	6.0	Joist / Rails	210.0	1.575	
57	6 Pkts	100 x 25 RS SL	H4	6.0	Garden Edging	600.0	1.500	
58	6 Pkts	100 x 25 GTD SL	H3	6.0		600.0	1.500	
59	5 Pkts	250 x 50 RS SL	H4	4.8		96.0	1.200	
60	6 Pkts	75 x 50 MG SL	H3	4.8	Framing / Rails / Purlins	312.0	1.170	
61	6 Pkts	200 x 50 TG&V SL	H4	4.8	Retaining	144.0	1.440	
62	5 Pkts	150 x 40 BW SL	H3	6.0	Premium Decking	336.0	2.016	
63	6 Pkts	100 x 75 MG SL	H4	6.0	Post / Bearer	180.0	1.350	
64	6 Pkts	200 x 25 D4S SL	H3	6.0		300.0	1.500	
65	6 Pkts	150 x 50 RS SL	H4	5.4	Joists / Rails / In Ground	189.0	1.418	
66	6 Pkts	100 x 50 MG SL	H4	5.4		270.0	1.350	
67	3 Pkts	100 x 40 SM SL	H3	5.4	Smooth Decking	432.0	1.728	
68	5 Pkts	50 x 50 MG SL	H3	4.2	No1+	420.0	1.050	
69	6 Pkts	150 x 50 TG&V SL	H4	4.2		176.4	1.323	
70	6 Pkts	150 x 50 MG SL	H3	4.2	SG8 Verified Framing	147.0	1.103	
71	6 Pkts	300 x 50 RS SL	H4	6.0	SG6 Verified Framing	90.0	1.350	
72	6 Pkts	75 x 50 MG SL	H4	6.0		390.0	1.463	
73	6 Pkts	200 x 25 RS SL	H3	6.0		300.0	1.500	
74	3 Pkts	150 x 25 D4S SL	H3	5.4	Base Board / Fence / Fascia	378.0	1.418	
75	6 Pkts	100 x 100 MG SL	H4	5.4		162.0	1.620	
76	6 Pkts	300 x 50 MG SL	H4	5.4		81.0	1.215	
77	4 Pkts	100 x 50 MG SL	H4	6.0		300.0	1.500	
78	6 Pkts	200 x 50 MG SL	H4	6.0		150.0	1.500	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
79	6 Pkts	150 x 25 RS SL	H3	6.0	Fencing	420.0	1.575	
80	3 Pkts	100 x 25 GTD SL	H3	5.4		540.0	1.350	
81	4 Pkts	75 x 25 RS SL	H3	5.4		702.0	1.316	
82	4 Pkts	250 x 50 RS SL	H4	5.4		108.0	1.350	
83	6 Pkts	75 x 50 RS SL	H3	4.8	Fence Rails	312.0	1.170	
84	6 Pkts	250 x 50 MG SL	H4	4.8		96.0	1.200	
85	6 Pkts	100 x 25 RS SL	H3	4.8	Fence Rails / Baseboards	480.0	1.200	
86	6 Pkts	250 x 25 D4S SL	H3	6.0	Shelving / Cladding	240.0	1.500	
87	6 Pkts	150 x 40 SM SL	H3	6.0	Smooth Decking	336.0	2.016	
88	6 Pkts	150 x 50 RS SL	H4	6.0	Retainer / Rail / Joist	210.0	1.575	
89	6 Pkts	300 x 50 MG SL	H4	4.8	Joists / Rafters	72.0	1.080	
90	6 Pkts	100 x 25 D4S SL	H3	4.8		480.0	1.200	
91	6 Pkts	100 x 75 MG SL	H4	4.8		144.0	1.080	
92	4 Pkts	75 x 50 MG SL	H4	4.2	Framing / In Ground	273.0	1.024	
93	2 Pkts	150 x 25 RS SL	H4	4.2		294.0	1.103	
94	6 Pkts	150 x 40 SM SL	H3	4.2	Smooth Decking	235.2	1.411	
95	6 Pkts	100 x 50 RS SL	H3	6.0	Framing / Fence Rail	300.0	1.500	
96	6 Pkts	250 x 50 MG SL	H4	6.0		120.0	1.500	
97	6 Pkts	250 x 25 RS SL	H4	6.0	Cladding / In Ground	240.0	1.500	
98	6 Pkts	200 x 50 TG&V SL	H4	6.0	Retaining / Flooring	180.0	1.800	
99	6 Pkts	150 x 40 RS SL	H3	6.0	Post & Rail Fencing	252.0	1.512	
100	4 Pkts	150 x 50 PRO1/2R SL	H4	6.0	Fence Rails / Retaining	234.0	1.755	
101	6 Pkts	300 x 50 MG SL	H3	6.0		90.0	1.350	
102	6 Pkts	150 x 100 RS SL	H4	6.0		126.0	1.890	
103	6 Pkts	200 x 50 RS SL	H4	5.4	Retaining / Joists	135.0	1.350	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
104	6 Pkts	150 x 50 MG SL	H4	5.4		189.0	1.418	
105	4 Pkts	100 x 100 MG SL	H4	4.8	Carport / Verandah Posts	144.0	1.440	
106	4 Pkts	100 x 25 RS SL	H3	5.4		540.0	1.350	
107	5 Pkts	300 x 50 RS SL	H4	4.8	Retainer / Rafter / Joist	72.0	1.080	
108	6 Pkts	100 x 50 MG SL	H3	4.8		240.0	1.200	
109	6 Pkts	150 x 40 SM SL	H3	4.8	Smooth Decking	268.8	1.613	
110	6 Pkts	150 x 50 RS SL	H4	4.8		168.0	1.260	
111	6 Pkts	150 x 50 TG&V SL	H4	5.4	Retainer / Heavy Floor	226.8	1.701	
112	6 Pkts	200 x 50 MG SL	H4	5.4		135.0	1.350	
113	6 Pkts	150 x 25 RS SL	H4	5.4	In Ground / Fence	378.0	1.418	
114	6 Pkts	250 x 50 MG SL	H4	5.4		108.0	1.350	
115	6 Pkts	100 x 25 SM SL	H3	4.8	Smooth Premium Decking	480.0	1.200	
116	3 Pkts	200 x 25 RS SL	H4	4.8	Cladding / In Ground	240.0	1.200	
117	6 Pkts	150 x 50 MG SL	H4	4.8		168.0	1.260	
118	6 Pkts	200 x 50 RS SL	H4	4.8		120.0	1.200	
119	4 Pkts	100 x 40 GTD SL	H3	3.6	Premium Decking	288.0	1.152	
120	4 Pkts	100 x 100 MG SL	H4	3.6	Verandah Posts	108.0	1.080	
121	6 Pkts	100 x 50 MG SL	H4	3.6		180.0	0.900	
122	6 Pkts	250 x 50 RS SL	H4	3.6	SG6 Verified Framing	72.0	0.900	
123	6 Pkts	300 x 25 RS SL	H4	6.0	Cladding	180.0	1.350	
124	6 Pkts	200 x 50 RS SL	H4	6.0	Yard Rails / Retainer	150.0	1.500	
125	3 Pkts	100 x 40 SM SL	H3	6.0	Smooth Decking	480.0	1.920	
126	4 Pkts	300 x 25 D4S SL	H3	6.0	Weatherboard / Cladding / Shelving	180.0	1.350	
127	6 Pkts	150 x 40 GTD SL	H3	4.8	Premium Decking	268.8	1.613	
128	6 Pkts	200 x 50 MG SL	H4	4.8		120.0	1.200	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Pkt	GrM3 Per Pkt	Sell
129	6 Pkts	100 x 50 RS SL	H3	4.8	Rails / Framing	240.0	1.200	
130	4 Pkts	200 x 25 PnclRnd SL	H3	4.8	Cladding / Shelving	240.0	1.200	
131	3 Pkts	250 x 50 RS SL	H4	4.2	SG6 Verified Framing	84.0	1.050	
132	6 Pkts	100 x 50 MG SL	H4	4.2		210.0	1.050	
133	6 Pkts	150 x 50 RS SL	H4	4.2		147.0	1.103	
134	6 Pkts	150 x 40 RS SL	H4	4.8	Retaining / Rails	201.6	1.210	
135	6 Pkts	75 x 50 MG CTL	H4	3.0	Studs	195.0	0.731	
136	6 Pkts	100 x 50 MG CTL	H3	3.0	SG8 Verified Framing	180.0	0.900	
137	6 Pkts	100 x 25 GTD SL	H3	3.6	Decking	360.0	0.900	
138	4 Pkts	300 x 50 MG SL	H4	4.2		63.0	0.945	
139	2 Pkts	150 x 50 MG CTL	H3	0.2		39.0	0.293	

Multi Lots - Plywood - Sold Per Piece By Full Packet

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Pkt	GrM3 Per Pkt	Sell
140	3 Pkts	2745 x 1200 x 12 Utility Clad	H3	2.745	Non Structural / Cladding	9	0.356	
141	3 Pkts	2400 x 1200 x 19 Pallet Ply	H3	2.4	Pallet Ply	7	0.383	

Single Pkt Lots - Sold per Lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
142	MBO247522	150 x 75 MG SL	H4	6.0		24.0	0.270	
143	RMBO176258	125 x 100 RS SL	H4	6.0		60.0	0.750	
144	RMBO176257	125 x 100 RS SL	H4	6.0		36.0	0.450	
145	R783448	250 x 100 MG SL	H4	5.4	SG8	43.2	1.080	
146	RMBO111710	300 x 100 MG SL	H4	6.0		18.0	0.540	
147	783447	250 x 100 MG SL	H4	5.4	SG8	108.0	2.700	
148	RMBO111827	150 x 75 MG SL	H4	4.8	Bridging / Bearers	24.0	0.270	
149	RMBO176259	150 x 100 RS SL	H4	4.8		24.0	0.360	
150	R801658	150 x 75 MG SL	H4	4.8	Bridging / Bearers	57.6	0.648	
151	R801643	200 x 100 MG SL	H4	4.8		24.0	0.480	
152	RMBO124227	250 x 100 MG SL	H4	4.8		33.6	0.840	
153	R801645	150 x 100 MG SL	H4	4.8		33.6	0.504	
154	RMBSO833849	150 x 150 MG	H4	RDL	Carport / Pergola	36.0	0.810	
155	RMBSO833856	300 x 75 RS SL	H4	4.8		28.8	0.648	
156	R111808	250 x 100 MG SL	H4	4.8		19.2	0.480	
157	RMBSO833855	150 x 150 MG SL	H4	4.8		24.0	0.540	
158	MBSO839178	300 x 50 MG	H4	RDL		75.6	1.134	
159	MBSO836244	125 x 50 MG	H4	RDL		160.2	1.001	
160	417802	400 x 50 MG	H4	RDL	Workbench / Seating	76.5	1.530	
161	MBO247042	100 x 40 GTD CTL	H3	3.0	GripTread Premium Decking	87.0	0.348	
162	MBO250368	150 x 40 GTD SL	H3	3.6	Premium Decking	100.8	0.605	
163	MBO249965	100 x 100 MG SL	H4	3.6	Verandah Posts	93.6	0.936	
164	MBO243145	150 x 40 BW SL	H3	3.6	Premium Decking	72.0	0.432	

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
165	MBO237648	100 x 100 MG SL	H4	3.6	Verandah Posts	162.0	1.620	
166	MBO190505	200 x 25 PnclRnd SL	H3	4.8	Cladding / Shelving	288.0	1.440	
167	MBO225789	50 x 50 MG	H4	RDL	Battens / Framing / Stakes	500.0	1.250	
168	MBSO842543	200 x 50 RS SL	H4	4.8		81.6	0.816	
169	MBO217084B	150 x 40 BW SL	H3	4.8	Premium Boardwalk Decking	67.2	0.403	
170	MBO247271	100 x 75 MG SL	H4	5.4		216.0	1.620	
171	MBO250812	100 x 50 MG SL	H3	6.0	SG12 Verified Framing	120.0	0.600	
172	MBO252964	150 x 50 MG SL	H3	6.0	Joist / Rails	114.0	0.855	
173	MBO231486	150 x 50 MG CTL	H3	3.0	SG8 Verified Framing	147.0	1.103	
174	MBO246017	50 x 25 D4S SL	H3	3.6		360.0	0.450	
175	MBO227656	100 x 100 MG SL	H5	3.6		36.0	0.360	
176	MBSO839864	150 x 40 GTD SL	H3	3.6	Premium Decking	54.0	0.324	
177	MBO240152	100 x 100 MG SL	H4	3.6	Verandah Posts	97.2	0.972	
178	MBO251112	100 x 40 GTD SL	H3	3.6		396.0	1.584	
179	MBO245572	150 x 50 MG CTL	H3	3.0	SG8 Verified Framing	105.0	0.788	
180	MBO248155	100 x 75 MG SL	H5	3.6	SG8	50.4	0.378	
181	MBO243086	100 x 40 GTD SL	H3	3.6	Premium Decking	144.0	0.576	
182	MBO247268	100 x 75 MG SL	H5	3.6	Premium SG8	36.0	0.270	
183	MBO247407	100 x 40 SM SL	H3	3.6	Premium Decking	252.0	1.008	
184	MBO252337	200 x 50 MG SL	H4	4.8		57.6	0.576	
185	RMBSO8425433	200 x 50 RS SL	H4	4.8		144.0	1.440	
186	MBO242696	150 x 50 MG	H4	RDL		91.2	0.684	
187	MBO243147	150 x 40 BW SL	H3	4.2	Boardwalk Decking	58.8	0.353	
188	MBSO836167	150 x 50 TG&V SL	H4	4.2		176.4	1.323	
189	MBSO775205	75 x 50 RS SL	H3	4.8	Fence Rails	312.0	1.170	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
190	MBO118609B	200 x 50 MG SL	H4	5.4	SG8 Verfied Framing	81.0	0.810	
191	MBO254133	150 x 40 SM SL	H3	5.4	Smooth Decking	415.8	2.495	
192	MBO252285	75 x 50 MG	H4	RDL		99.0	0.371	
193	MBO249966	100 x 100 MG	H4	RDL	Varandah Posts	35.4	0.354	
194	MBO242635	200 x 50 MG	H3	RDL		40.8	0.408	
195	MBO247275	100 x 75 MG	H4	RDL	Bearers/Post	240.0	1.800	
196	MBO246325	250 x 50 MG	H4	RDL		108.0	1.350	
197	MBO237237	150 x 50 MG SL	H3	5.4		113.4	0.851	
198	MBO200542	250 x 50 MG SL	H4	6.0		114.0	1.425	
199	MBO236814	100 x 50 MG SL	H3	5.4	SG8 Verified Framing	108.0	0.540	
200	MBSO838188	150 x 25 RS SL	H4	5.4	In Ground / Fence	361.8	1.357	
201	MBSO846786	200 x 25 RS SL	H3	5.4		221.4	1.107	
202	MBSO823978	150 x 25 RS SL	H3	5.4		448.2	1.681	
203	843472	200 x 50 TG&V SL	H4	6.0	Retaining / Flooring	78.0	0.780	
204	MBSO847704	75 x 50 RS SL	H3	6.0	Fence Rails	312.0	1.170	
205	RMBO119567	300 x 50 MG SL	H4	3.6		18.0	0.270	
206	843473	250 x 50 MG SL	H4	3.6		10.8	0.135	
207	MBO233425	100 x 25 GTD SL	H3	3.6	Decking	252.0	0.630	
208	MBO252582	300 x 50 MG	H3	RDL		58.2	0.873	
209	MBO222677	150 x 50 GTD SL	H3	6.0	Heavy Deck / Ramp	72.0	0.540	
210	MBO238006	150 x 40 GTD SL	H3	6.0	Decking	84.0	0.504	
211	MBO252930	100 x 50 MG	H4	RDL	Studs / In Ground	109.2	0.546	
212	MBO252927	100 x 50 MG	H3	RDL		390.0	1.950	
213	RMBO162469	300 x 50 MG SL	H4	3.6		21.6	0.324	
214	MBO234357	75 x 50 MG SL	H4	4.8	SG8 Verified Framing	100.8	0.378	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
215	MBSO808060	150 x 40 BW SL	H3	4.8	Premium Boardwalk Decking	86.4	0.518	
216	MBO180667	100 x 75 RS SL	H4	4.8		177.6	1.332	
217	MBSO798392	100 x 25 RS SL	H3	4.8	Fence Rails / Baseboards	480.0	1.200	
218	MBSO828829	250 x 50 RS SL	H4	4.8		96.0	1.200	
219	MBSO835989	200 x 50 RS SL	H4	5.4	Retaining / Joists	54.0	0.540	
220	MBO245407	50 x 50 MG	H4	RDL	Battens / Framing / Stakes	182.2	0.456	
221	843474	100 x 25 Smooth Rail	H3	RDL		308.0	0.770	
222	843482	200 x 50 MG	H4	RDL		63.0	0.630	
223	MBO199690	150 x 40 BW SL	H3	4.2	Boardwalk Decking	88.2	0.529	
224	MBO240291	200 x 50 MG SL	H4	4.8		57.6	0.576	
225	MBO232428	100 x 50 MG SL	H4	4.8		67.2	0.336	
226	MBO137115	200 x 50 RS SL	H3	4.8		96.0	0.960	
227	MBSO844349	250 x 50 RS SL	H4	4.8		38.4	0.480	
228	MBSO836546	100 x 100 MG SL	H4	3.6	Verandah Posts	75.6	0.756	
229	MBO176965	100 x 25 PncIRnd SL	H3	3.6	Decking / Rail	288.0	0.720	
230	MBO247041	100 x 40 GTD SL	H3	3.6		72.0	0.288	
231	MBO245396	75 x 50 MG	H3	RDL		159.9	0.600	
232	MBSO847247	200 x 50 TG&V SL	H4	4.2		84.0	0.840	
233	MBO248760	200 x 50 MG	H4	RDL	Retaining / Joists	61.2	0.612	
234	MBO248271	75 x 50 MG SL	H4	4.2	Framing / In Ground	163.8	0.614	
235	MBO243603A	100 x 50 MG SL	H4	4.8		192.0	0.960	
236	MBO249302	100 x 40 SM SL	H3	3.6	Premium Decking	223.2	0.893	
237	MBO253923	200 x 50 MG	H4	RDL		100.8	1.008	
238	MBO234980	150 x 40 BW SL	H3	4.8	Decking	100.8	0.605	
239	MBO252866	100 x 40 GTD SL	H3	5.4	Decking	162.0	0.648	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
240	MBO222121	150 x 40 BW SL	H3	6.0	Decking	84.0	0.504	
241	MBO247513	150 x 50 TG&V	H4	RDL		226.8	1.701	
242	MBO254155	75 x 50 MG	H4	RDL		430.8	1.616	
243	MBO248905	200 x 50 MG	H4	RDL		171.6	1.716	
244	MBO248327	300 x 50 MG	H3	RDL		82.6	1.239	
245	MBSO828842	200 x 50 MG SL	H4	4.8		120.0	1.200	
246	MBO252389	150 x 50 MG	H4	RDL		93.6	0.702	
247	843481	200 x 50 MG	H4	RDL		26.5	0.265	
248	MBO241451	150 x 50 MG	H4	RDL		126.6	0.950	
249	MBO242139	100 x 100 MG	H4	RDL	Varandah Posts	41.6	0.416	
250	MBO252687	250 x 50 MG SL	H4	4.8	Joists / Retainer / Rafter	76.8	0.960	
251	MBSO836529	250 x 50 MG SL	H4	4.8		67.2	0.840	
252	MBSO836514	250 x 50 MG	H4	RDL		99.6	1.245	
253	MBSO836511	250 x 50 MG	H4	RDL		84.6	1.058	
254	MBO246016	50 x 25 D4S SL	H3	4.2		117.6	0.147	
255	MBO159092	100 x 25 Rusticated GT SL	H3	3.6	Premium Rusticated Decking	320.4	0.801	
256	MBO225496	50 x 50 MG	H4	RDL	Battens / Framing / Stakes	650.0	1.625	
257	MBO232983	75 x 25 PncIRnd SL	H3	3.6	Fence / Trellis	421.2	0.790	
258	MBO243073	100 x 40 GTD SL	H3	3.6		169.2	0.677	
259	MBO252868	100 x 40 GTD SL	H3	4.2	GripTread Decking	126.0	0.504	
260	MBO236509	150 x 50 MG SL	H3	5.4		75.6	0.567	
261	MBSO836547	300 x 50 MG SL	H4	6.0		30.0	0.450	
262	MBSO835649	75 x 25 RS SL	H3	6.0	Baseboards / Fencing	312.0	0.585	
263	MBO191250	300 x 25 D4S SL	H3	6.0	Weatherboard / Cladding / Shelving	180.0	1.350	
264	MBO223897	200 x 25 D4S SL	H3	6.0		300.0	1.500	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
265	MBSO837792	75 x 25 RS SL	H4	6.0		858.0	1.609	
266	843480	200 x 50 RGH SL	H4	6.0	Retaining / Joists	84.0	0.840	
267	MBO240154	50 x 50 MG	H4	RDL	Battens / Framing / Stakes	640.0	1.600	
268	MBO230207	100 x 50 MG SL	H3	4.2		294.0	1.470	
269	MBO249662	100 x 100 MG SL	H4	4.8	Carport / Verandah Posts	139.2	1.392	
270	MBO254218	150 x 40 SM SL	H3	6.0	Smooth Decking	354.0	2.124	
271	MBO246619	100 x 50 MG	H4	RDL	Framing / In Ground	215.8	1.079	
272	MBO224651	150 x 25 PnclRnd SL	H3	3.6		64.8	0.243	
273	MBO235979	100 x 40 SM SL	H3	3.6	Smooth Decking	180.0	0.720	
274	MBO197723	100 x 25 SM SL	H3	4.2	Smooth Rail / Decking	105.0	0.263	
275	MBO200473	50 x 25 PnclRnd SL	H3	4.2		336.0	0.420	
276	MBO190520	200 x 25 PnclRnd SL	H3	4.2	Cladding / Shelving	84.0	0.420	
277	MBO237216	200 x 50 MG	H4	RDL		130.2	1.302	
278	MBO217084	150 x 40 BW SL	H3	4.8	Premium Boardwalk Decking	48.0	0.288	
279	MBO230230	150 x 40 SM SL	H3	5.4	Smooth Premium Decking	216.0	1.296	
280	MBO233542	100 x 50 MG SL	H4	5.4		108.0	0.540	
281	MBO233962	75 x 50 MG SL	H4	4.8		187.2	0.702	
282	MBO230204	100 x 50 MG SL	H3	5.4		48.6	0.243	
283	MBSO837922	75 x 25 RS SL	H3	5.4		210.6	0.395	
284	MBO250397	200 x 50 TG&V SL	H4	5.4		81.0	0.810	
285	MBO218318	150 x 25 PnclRnd SL	H3	5.4	Base Board / Fence / Fascia	415.8	1.559	
286	MBO247514	150 x 50 TG&V	H4	RDL		84.0	0.630	
287	843479	250 x 50 MG SL	H4	3.6		43.2	0.540	
288	MBO252286	75 x 50 MG SL	H4	3.6	Framing / Rails / In Ground	79.2	0.297	
289	MBO253614	100 x 50 MG	H4	RDL	Framing / In Ground	168.0	0.840	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
290	MBO249303	100 x 40 SM SL	H3	4.8	Smooth Decking / Rail	96.0	0.384	
291	MBO251672	300 x 50 MG SL	H4	4.8	Joists / Rafters	14.4	0.216	
292	MBO242500	75 x 50 MG SL	H4	4.8		57.6	0.216	
293	843483	125 x 40 MG SL	H3	4.8	Rail	86.4	0.432	
294	MBSO833835	75 x 50 MG SL	H4	5.4		140.4	0.527	
295	MBO243070	100 x 40 GTD CTL	H3	2.4	Premium Decking	69.6	0.278	
296	MBO243072	100 x 40 GTD CTL	H3	3.0		90.0	0.360	
297	MBO252492	100 x 100 MG SL	H4	3.6	Verandah Posts	72.0	0.720	
298	MBO248040	150 x 25 PnclRnd SL	H3	4.2		75.6	0.284	
299	MBO249470	100 x 100 MG SL	H4	4.8	Carport / Verandah Posts	48.0	0.480	
300	MBO248103	150 x 25 D4S SL	H3	5.4	Base Board / Fence / Fascia	151.2	0.567	
301	MBO252279	75 x 50 MG SL	H4	5.4		318.6	1.195	
302	MBO254607	300 x 50 MG SL	H3	5.4	Rafters / Joists	32.4	0.486	
303	MBO231305	100 x 50 MG SL	H4	6.0		18.0	0.090	
304	MBO243179	150 x 50 MG SL	H4	4.8		9.6	0.072	
305	MBO241605	300 x 50 MG	H4	RDL	Joists / Rafter / Retaining	23.4	0.351	
306	MBO250258	150 x 40 SM SL	H3	5.4	Smooth Premium Decking	21.6	0.130	
307	MBSO829451A	250 x 50 MG SL	H4	5.4		21.6	0.270	
308	MBO249526	250 x 50 MG SL	H3	6.0		12.0	0.150	
309	843478	50 x 50 MG SL	H3	6.0		72.0	0.180	
310	MBSO829216	250 x 40 D4S SL	H3	6.0	Fascia / Shelving	24.0	0.240	
311	MBSO834884	200 x 25 RS SL	H4	6.0		48.0	0.240	
312	MBO252489	100 x 100 MG	H4	RDL	Varandah Posts	79.8	0.798	
313	MBO198186	150 x 25 PnclRnd SL	H3	5.4		21.6	0.081	
314	MBO197755	100 x 25 SM SL	H3	6.0	Smooth Decking / Rails	60.0	0.150	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
315	MBO215109	150 x 40 RS SL	H3	6.0	Post & Rail Fencing	42.0	0.252	
316	MBSO765906A	100 x 50 MG SL	H3	5.4	Framing / Rails	64.8	0.324	
317	774293A	75 x 25 D4S SL	H3	6.0		780.0	1.463	
318	MBP113144	250 x 50 RS	H3	RDL	SG8 / 6.6 - 7.2 Lengths	75.6	0.945	
319	843475	200 x 50 TG&V	H4	RDL		26.4	0.264	
320	MBO250934	100 x 100 MG SL	H4	3.6	Verandah Post / Carport	57.6	0.576	
321	MBO225788	50 x 50 MG	H4	RDL	Battens / Framing / Stakes	208.0	0.520	
322	MBO218412	75 x 25 PnclRnd SL	H3	4.2	Smooth Deck / Fence Picket	218.4	0.410	
323	MBO246904	100 x 40 SM SL	H3	4.2	Smooth Decking	84.0	0.336	
324	MBO244256	100 x 75 MG SL	H4	4.8		57.6	0.432	
325	MBO218411	75 x 25 PnclRnd SL	H3	4.8	Pencil Arris / Fence Pickett	249.6	0.468	
326	MBO225399	150 x 50 PRO1/2R SL	H4	4.2		214.2	1.607	
327	MBO252148	100 x 50 MG	H4	RDL	Framing / In Ground	192.0	0.960	
328	MBSO833643	150 x 19 RS CTL	H3	1.8	Fence Palings	30.6	0.087	
329	MBSO822340	50 x 50 MG CTL	H3	1.8	Balustrades / Battens	50.4	0.126	
330	MBSO829976	150 x 25 RS CTL	H3	1.8	Fence Paling	18.0	0.068	
331	MBSO835900	100 x 100 RS CTL	H4	2.4	Fence Posts	16.8	0.168	
332	MBSO839651	150 x 19 RS CTL	H3	2.4	Fence Palings	67.2	0.192	
333	MBO504396	150 x 12 RS CTL	H3	2.4	Fence / Cladding	672.0	1.210	
334	MBO190837A	50 x 50 MG CTL	H3	1.8	Balustrades / Battens	10.8	0.027	
335	MBSO792745	200 x 25 RS CTL	H3	0.780		3.9	0.020	
336	MBSO838209	150 x 19 RS CTL	H3	1.5	Palings	49.5	0.141	
337	MBSO838044	50 x 25 RS CTL	H3	1.8		239.4	0.299	
338	MBSO815108	50 x 50 RS CTL	H3	1.8		147.6	0.369	
339	843476	150 x 12 RS CTL	H3	2.4	Fence / Cladding	672.0	1.210	

Buyers guide to timber terminology: RDL=Random Length, SL=Every length the same in Pkt, CTL=Cut to exact length, RS=Rough sawn, MG=Machine Gauged, RH=Grooved MG, TG=Tongue Grooved, GT=Grip tread decking, BW=Boardwalk Decking, SM= Smooth Decking, H No# =Hazard class(Level of treatment)

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	LM Per Lot	GrM3 Per Lot	Sell
340	843477	100 x 100 MG CTL	H5	1.8	Fence Post	23.4	0.234	
341	MBSO824975B	50 x 50 MG CTL	H3	1.8		54.0	0.135	
342	MBSO840988	150 x 19 RS CTL	H3	1.5	Palings	84.0	0.239	
343	MBSO776178	200 x 25 RS CTL	H3	0.745		186.3	0.931	
344	MBSO840620	50 x 50 RS CTL	H3	1.2	Fence Battens	4.8	0.012	
345	MBSO839380	150 x 25 RS CTL	H3	1.2	Fence Palings	20.4	0.077	
346	MBSO840601	50 x 50 RS CTL	H3	1.2	Fence Battens	60.0	0.150	
347	MBSO822689	100 x 100 RS CTL	H4	1.140		57.0	0.570	
348	843437	Mixed Size MG Profiled	H3H4	RDL	Farm Pack / Handyman	197.8	0.966	
349	843438	Mixed Size RS	H3H4	RDL		159.1	0.645	
350	843444	Mixed Size MG Profiled	H3H4	RDL		299.0	1.667	
351	843435	Mixed Size MG Profiled	H3H4	RDL		71.4	0.459	
352	843436	Mixed Size MG Profiled	H3H4	RDL		73.5	0.350	
353	843440	Mixed Size MG Profiled	H3H4	RDL		168.0	1.021	
354	843439	Mixed Size MG Profiled	H3H4	RDL		166.5	1.181	
355	843441	Mixed Size MG Profiled	H3H4	RDL		200.7	1.507	
356	843434	Mixed Size RS	H3H4	RDL		180.6	1.273	
357	843443	Mixed Size RS	H3H4	RDL		222.0	1.295	
358	843442	Mixed Size RS	H3H4	RDL		115.5	0.990	

Fence Battens - Multi Lot - Sold Per Piece By Full Pkt

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Pkt	GrM3 Per Pkt	Sell
359	4 Pkts	50 x 50 RS CTL	H3	1.140	Fence Battens	400	1.140	

Roundwood Firsts - Single Lots Sold Per Piece By Total Lot

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Lot	GrM3 Per Lot	Sell
360		125 - 159 SED	H5	5.4	Constuction Poles	3	0.285	
361		175 - 199 SED	H5	3.6	Constuction Poles	9	1.035	
362		200 - 224 (No1 Str) SED CTL	H4	3.0	Strainers	5	0.601	
363		175 - 199 (No2 Str) SED CTL	H4	3.0	Strainers	23	2.191	
364		100 - 125 (No1 Qtr Rnd) SED CTL	H4	1.8	Posts	10	0.167	

Roundwood Seconds - Multi Lot - Sold Per Piece By Full Bundle

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Bdle	GrM3 Per Bdle	Sell
365	7 Bundles	90 - 114 (No2 2nds Post) SED CTL	H4	1.8		65	1.154	

Roundwood Firsts - Multi Lots - Sold Per Piece By Full Bundle

LOT	Pkt No	Size / Description	Treat	Length	End Use Ideas	Pces Per Bdle	GrM3 Per Bdle	Sell
366	6 Bundles	200 - 224 (No1 Str) SED CTL	H4	3.0		20	2.405	
367	6 Bundles	200 - 224 (No1 Str) SED CTL	H4	2.7		20	2.140	
368	6 Bundles	200 - 224 (No1 Str) SED CTL	H4	2.4		20	1.875	
369	2 Bundles	175 - 199 (No2 Str) SED CTL	H4	3.6		23	2.691	
370	6 Bundles	175 - 199 (No2 Str) SED CTL	H4	3.0		25	2.381	
371	6 Bundles	175 - 199 (No2 Str) SED CTL	H4	2.7		25	2.113	
372	6 Bundles	175 - 199 (No2 Str) SED CTL	H4	2.4		25	1.844	
373	6 Bundles	150 - 174 (No3 Str) SED CTL	H4	2.7		30	2.079	
374	6 Bundles	150 - 174 (No3 Str) SED CTL	H4	2.4		30	1.703	
375	5 Bundles	115 - 149 (No1 Post) SED CTL	H4	2.4		40	1.570	
376	2 Bundles	90 - 114 (No2 Post) SED CTL	H4	2.4		65	1.154	
377	6 bundles	90 - 114 (No2 Post) SED CTL	H4	1.8		65	1.154	
378	6 Bundles	150 - 174 (No1 Half Rnd) SED CTL	H4	1.8		60	1.313	
379	6 Bundles	100 - 125 (No1 Qtr Rnd) SED CTL	H4	1.8		80	1.336	
380	6 Bundles	75 - 99 (No2 Qtr) SED CTL	H4	1.8		100	1.280	
381	6 Bundles	65 - 89 (No.3 Rnd Posts) SED CTL	H4	1.8		100	1.040	